- vakbegeleiders in de gezondheidszorg. Utrecht: Nederlands Centrum Geestelijke Volksgezondheid.
- Newman, S. and Ward, C. (1993) 'An observational study of intergenerational activities and behaviour change in dementing elders at adult day care centers.' *International Journal of Aging and Human Development 36*, 4, 321–333.
- Nieuwenhuizen, N. and Broersen, M. (1998) 'Muziek therapie: waar woorden te koet schieien.' *Leidraad Psychogeratie*, B4, 100–103.
- Norberg, A., Melin, E. and Asplund, K. (1986) 'Reactions to music, touch and object presentation in the final stage of dementia: an exploratory study.' *International Journal of Nursing Studies 23*, 4, 315–323.
- Nordoff, P. and Robbins, C. (1971) Therapy in Music for Handicapped Children. London: Gollancz.
- Nordoff, P. and Robbins, C. (1977) Creative Music Therapy. New York: John Day.
- Olderog-Millard, K.A. and Smith, J.M. (1989) 'The influence of group singing on the behaviour of Alzheimer's disease patients.' *Journal of Music Therapy 26*, 58–70.
- Orange, J., Van Gennep, K., Miller, L. and Johnson, A. (1998) 'Resolution of communication breakdown in dementia of the Alzheimer's type: a longitudinal study.' *Journal of Applied Communication Research 26*, 1, 120–138.
- Ortiz, J. (1997) The Tao of Music. York Beach, ME: Samuel Weiser.
- Owings, A. (1995) Frauen: German Women Recall the Third Reich. New Brunswick, NJ: Rutgers University.
- Palmer, M. (1977) 'Music therapy in a comprehensive programme of treatment and rehabilitation for the geriatric resident.' *Journal of Music Therapy 14*, 4, 190–197.
- Palmer, M. (1983) 'Music therapy in a comprehensive programme of treatment and rehabilitation for the geriatric resident.' Activities, Adaptation and Aging 3, 3, 53-59.
- Palmer, M. (1989) 'Music therapy in gerontology: a review and a projection. National Association for Music Therapy California Symposium on Clinical Practices.' (1987, Costa Mesa, CA). *Music Therapy Perspectives* 6, 52–56.
- Penrose, R. (1995) Shadows of the Mind. London: Vintage.
- Polk, M. and Kerstesz, A. (1993) 'Music and language in degenerative disease of the brain.' *Brain and Cognition 22*, 1, 98–117.
- Pollack, N. and Namazi, K. (1992) 'The effect of music participation on the social behaviour of Alzheimer's disease patients.' *Journal of Music Therapy 29*, 1, 54–67.
- Pomeroy, V. (1993) 'The effect of physiotherapy input on mobility skills of elderly people with severe dementing illness.' Clinical Rehabilitation 7, 163–170.
- Pomeroy, V. (1994) 'Immobility and severe dementia: when is physiotherapy appropriate?' Clinical Rehabilitation 8, 226–232.
- Post, S. (1995) *The Moral Challenge of Alzheimer's Disease*. Baltimore, MD: Johns Hopkins University Press.
- Pot, A., Deeg, D. and Van Dyck, R. (1997) 'Psychological well-being of informal caregivers of elderly people with dementia: changes over time.' *Aging and Mental Health* 1, 3, 261–268.

- Povel, D. (1984) 'A theoretical framework for rhythm perception.' *Psychological Research* 45, 315–337.
- Prange, P. (1990) 'Categories of music therapy at Judson Retirement Community.' *Music Therapy Perspectives 8*, 88–89.
- Prickett, C. (1988) 'Music therapy for the aged.' In C. Furman (ed) Effectiveness of Music Therapy Procedures: Documentation of Research and Clinical Practice. Silver Spring, MD: National Association for Music Therapy.
- Prickett, C. (1996) 'Music therapy as a part of older people's lives.' In C. Furman (ed) Effectiveness of Music Therapy Procedures: Documentation of Research and Clinical Practice, 2nd edn. Washington, DC: National Association for Music Therapy.
- Prickett, C. and Moore, R. (1991) 'The use of music to aid memory of Alzheimer's patients.' *Journal of Music Therapy 28*, 2, 101–110.
- Prinsley, D. (1986) 'Music therapy in geriatric care.' Australian Nurses Journal 15, 9, 48-49.
- Radocy, R. and Boyle, J. (1979) *Psychological Foundations of Musical Behavior*. Springfield, IL: Charles C. Thomas.
- Ragneskog, H., Brane, G., Karlsson, I. and Kihlgren, M. (1996a) 'Influence of dinner music on food intake and symptoms common in dementia.' Scandinavian Journal of Caring Science 10, 11-17.
- Ragneskog, H., Kihlgren, M., Karlsson, I. and Norberg, A. (1996b) 'Dinner music for demented patients: analysis of video-recorded observations.' Clinical Nursing Research 5, 3, 262–282.
- Ramig, L.O., Bonitati, C.M., Lemke, J.H. and Horri, Y. (1994) 'Voice treatment for patients with Parkinson disease: development of an approach and preliminary efficacy data.' *Journal of Medical Speech-Language Pathology 2*, 191–209.
- Raskind, M. (1998) 'The clinical interface of depression and dementia.' *Journal of Clinical Psychiatry* 59, 9–12.
- Reisberg, B, Fernis, S. H., De Leon, M. J. and Crook, T. (1982) 'The global deteriation scale for assessment of primary degenerative dementia.' *American Journal of Psychiatry* 139, 9, 1136–1139.
- Richards, M. (1986) Let's Do it Again. San Francisco, CA: Richard's Institute.
- Richarz, B. (1997) 'Considerations to the psychosomatics of Alzheimer's disease.' Dynamische Psychiatrie 30, 5-6, 340-355.
- Rickert, E., Duke, L., Putzke, J., Marson, D. and Graham, K. (1998) 'Early stage Alzheimer's disease disrupts encoding of contextual information.' Aging Neuropsychology and Cognition 5, 1, 73-81.
- Roberts, U. (1994) Starke Mutter, Ferne Väter. [Strong Mothers, Absent Fathers]. Frankfurt am Main: Fischer Taschenbuch Verlag.
- Roose-Evans, J. (1994) Passages of the Soul: Rediscovering the Importance of Rituals in Everyday Life. Shaftesbury: Element.
- Rose, S. (1992) The Making of Memory. New York: Anchor.
- Rosling, L.K. and Kitchen, J. (1992) 'Music and drawing with institutionalized elderly.

- Miniconference in Music and Geriatrics (1990, Coquitlam, Canada).' Activities, Adaptation and Aging 17, 2, 27-38.
- Rudy, J. and Sutherland, R. (1994) 'The memory-coherence problem, configural associations, and the hippocampal system.' In D.L. Schacter and E. Tulving (eds) *Memory Systems*. Cambridge, MA: MIT Press.
- Rusted, J., Marsh, R., Bledski, L. and Sheppard, L. (1997) 'Alzheimer patients' use of auditory and olfactory cues to aid verbal memory.' Aging and Mental Health 1, 4, 364–371.
- Sacks, O.W. (1999) 'Music and the brain.' In C.M. Tomaino (ed) Clinical Applications of Music in Neurologic Rehabilitation. St Louis, MO: MMB Press.
- Sacks, O. and Tomaino, C. (1991) 'Music and neurological disorder.' *International Journal of Arts Medicine 1*, 1, 10–12.
- Sambandham, M. and Schirm, V. (1995) 'Music as a nursing intervention for residents with Alzheimer's disease in long-term care.' *Geriatric Nursing 16*, 2, 79–82.
- Sandel, S. and Johnson, D. (1983) 'Structure and process of the nascent group: dance therapy with chronic patients.' Arts in Psychotherapy 10, 131–140.
- Sandel, S. and Johnson, D. (1987) Waiting at the Gate: Creativity and Hope in the Nursing Home. New York: Harworth.
- Saunders, C. (1965) 'Watch with me.' Reprinted from Nursing Times, 26 November.
- Schachtel, E. (1946) 'On memory and childhood amnesia.' Psychiatry 10, 1-26.
- Schacter, D.L. (1996) Searching for Memory. New York: Basic Books.
- Schafer, W. (1992) Stress Management for Wellness, 2nd edn. Fort Worth, TX: Harcourt Brace.
- Schroeder-Sheker, T. (1993) 'Music for the dying: a personal account of the new field of music thanatology history, theories, and clinical narratives.' *Advances 9*, 36–48.
- Schullian, D. and Schoen, M. (1948) Music and Medicine. New York: Henry Schuman.
- Scruggs, S. (1991) 'The effects of structured music activities versus contingent music listening with verbal prompt on wandering behavior and cognition in geriatric patients with Alzheimer's disease.' Unpublished Master's thesis, Florida State University, Tallahassee.
- Sears, W. (1966) 'Processes in music therapy.' In E.T. Gaston (ed) *Music in Therapy*. Lawrence, KS: Allen Press.
- Segal, R. (1990) 'Helping older mentally retarded persons expand their socialization skills through the use of expressive therapies. Special issue: activities with developmentally disabled elderly and older adults.' *Activities, Adaptation and Aging 15*, 1–2, 99–109.
- Semon, R. (1921) The Mneme. London: Allen and Unwin.
- Shively, C. and Henkin, L. (1986) 'Music and movement therapy with Alzheimer's victims.' Music Therapy Perspectives 3, 56-58.
- Silber, F. and Hes, J. (1995) 'The use of songwriting with patients diagnosed with Alzheimer's disease.' *Music Therapy Perspectives 13*, 1, 31–34.
- Sloboda, J. (1989) 'Music as a language.' In F.R. Wilson and F.L. Roehmann (eds) Music

- and Child Development. St Louis, MO: MMB Music.
- Smeijsters, H. (1993) 'Music therapy in the Netherlands.' In C.D. Maranto (ed) *Music Therapy: International Perspectives.* Pipersville, PA: Jeffrey Books.
- Smeijsters, H. (1995) Handboek Muziektherapie. Melos: Heerlen.
- Smeijsters, H. (1997) 'Musiktherapie bei Alzheimerpatienten. Eine Meta-Analyse von Forschungsergebnissen. [Music therapy in the treatment of Alzheimer Patient. A meta-analysis of research results].' Musiktherapeutische Umschau 1997, 4, 268–283.
- Smith, B. (1992) 'Treatment of dementia: healing through cultural arts.' Pride Institute Journal of Long Term Home Health Care 11, 3, 37-45.
- Smith, D. (1990) 'Therapeutic treatment effectiveness as documented in the gerontology literature: implications for music therapy.' *Music Therapy Perspectives 8*, 36–40.
- Smith, D. (1999) 'The civilizing process and the history of sexuality: comparing Norbert Elias and Michael Foucault.' *Theory and Society 28*, 79–100.
- Smith, G. (1986) 'A comparison of the effects of three treatment interventions on cognitive functioning of Alzheimer patients.' *Music Therapy 6a*, 1, 41–56.
- Smith, S. (1990) 'The unique power of music therapy benefits Alzheimer's patients.' Activities, Adaptation and Aging 14, 4, 59-63.
- Smith-Marchese, K. (1994) 'The effects of participatory music on the reality orientation and sociability of Alzheimer's residents in a long-term care setting.' Activities, Adaptation and Aging 18, 2, 41-55.
- Sparks, R.W. and Holland, A.L. (1976) 'Method: melodic infromation therapy for aphasia.' *Journal od Speech and Hearing Disorders 41*, 298–300.
- Special Committee on Aging, United States Senate (1991) Forever Young: Music and aging. Hearing before the Special Committee on Aging. United States Senate (Serial no. 102-9). Washington, DC: US Government Printing Office.
- Squire, L.R. (1987) Memory and Brain. New York: Oxford University Press.
- Stokes, G. (1995) Challenging Behaviour in Dementia. Bicester: Winslow Press.
- Suhi, Y. (1975) They Fought Back. New York: Schocken.
- Summer, L. (1981) 'Guided imagery and music with the elderly.' *Music Therapy 1*, 1, 39–42.
- Swartz, K., Walton, J., Crummer, G., Hantz, E. and Frisina, R. (1989) 'Does the melody linger on? Music cognition in AD.' Seminars in Neurology 9, 2, 152–158.
- Swartz, K., Walton, J., Crummer, G., Hantz, E. and Frisina, R. (1992) 'P3 event-related potentials and performance of healthy older adults and AD subjects for music perception tasks.' *Psychomusicology* 11, 2, 96–118.
- Tabloski, P., McKinnon-Howe, L. and Remington, R. (1995) 'Effects of calming music on the level of agitation in cognitively impaired nursing home residents.' American Journal of Alzheimer's Care and Related Disorders and Research, Jan./Feb., 10-15.
- Tappen, R. (1994) 'The effect of skill training on functional abilities of nursing home residents with dementia.' Research in Nursing and Health 17, 159–165.
- Thaut, C.H. (1999) Melodic Intonation Therapy (MIT) Adaptations and Clinical Applications: