

参考文献*



- Adler, G., & Buie, D. H., Jr. (1979). Aloneness and borderline psychopathology: The possible relevance of child development issues. *International Journal of Psychoanalysis*, 60, 83–96.
- Ajdacic-Gross, V., Ring, M., Gadola, E., Lauber, C., Bopp, M., Gutzwiller, F., et al. (2008). Suicide after bereavement: An overlooked problem. *Psychological Medicine*, 38, 673–676.
- Allen, J. G., Fonagy, P., & Bateman, A. W. (2008). *Mentalizing in clinical practice*. Arlington, VA: American Psychiatric Publishing.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Anderson, A. R., Keyes, G. M., & Jobes, D. A. (2016). Understanding and treating suicidal risk in children. *Practice Innovations* [Epub ahead of print].
- Andreasson, K., Krogh, K., Rosenbaum, B., Gluud, C., Jobes, D., & Nordentoft (2014). The DiaS trial: Dialectical behaviour therapy vs. collaborative assessment and management of suicidality on self-harm in patients with a recent suicide attempt and borderline personality disorder traits, study protocol for a randomized controlled trial. *Trials Journal*, 15, 194.
- Andreasson, K., Krogh, J., Wenneberg, C., Jessen, H. K. L., Krakauer, K., Gluud, C., et al. (2016). Effectiveness of dialectical behavior therapy versus collaborative assessment and management of suicidality for reduction of self-harm in adults with borderline personality traits and disorder—A randomized observer-blinded clinical trial. *Depression and Anxiety* [Epub ahead of print].
- Andreasson, K., Krogh, J., Wenneberg, C., Jessen, H. K., Krakauer, K., Gluud, C., et al. (2015, June). *Dialectical behavior therapy vs. CAMS for patients with borderline personality traits and suicide attempt—A randomized clinical trial*. Paper presented at the Congress of the International Association for Suicide Prevention, Montreal, Quebec, Canada.
- Anestis, M. D., Soberay, K. A., Gutierrez, P. M., Hernández, T. D., & Joiner, T. E. (2014). Reconsidering the link between impulsivity and suicidal behavior. *Personality and Social Psychology Review*, 18, 366–386.
- Apil, S. R., Hoencamp, E., Judith Haffmans, P. M., & Spinhoven, P. (2012). A stepped care relapse prevention program for depression in older people: A randomized controlled trial. *International Journal of Geriatric Psychiatry*, 27, 583–591.

* 为了环保，也为了节省您的购书开支，本书参考文献不在此一一列出。如果您需要完整的参考文献，请通过电子邮箱 1012305542@qq.com 联系下载，或者登录 www.wqedu.com 下载。您在下载中遇到问题，可拨打 010-65181109 咨询。

- Archuleta, D., Jobes, D. A., Pujol, L., Jennings, K., Crumlish, J., Lento, R. M., et al. (2014). Raising the clinical standard of care for suicidal Soldiers: An Army process improvement initiative. *U.S. Army Medical Department Journal*, Oct.–Dec., 55–66.
- Arkov, K., Rosenbaum, B., Christiansen, L., Jonsson, H., & Munchow, M. (2008). Treatment of suicidal patients: The collaborative assessment and management of suicidality. *Ugeskr Laeger*, 170, 149–153.
- Baillargeon, J., Binswanger, I. A., Penn, J. V., Williams, B. A., & Murray, O. J. (2009). Psychiatric disorders and repeat incarcerations: The revolving prison door. *American Journal of Psychiatry*, 166, 103–109.
- Bakan, D. (1966). *The duality of human existence*. Chicago: Rand McNally.
- Ballard, E. D., Horowitz, L. H., Jobes, D. A., Wagner, B. M., Pao, M., & Teach, S. J. (2013). Association of positive responses to suicide screening questions with hospital admission and repeat emergency department visits in children and adolescents. *Pediatric Emergency Care*, 29, 1–7.
- Bamatter, W., Barrueco, S., Oquendo, M., & Jobes, D. A. (2015). *Translation and validation of the SSF-IV into Spanish*. Unpublished manuscript.
- Barlow, D. H., Bullis, J. R., Comer, J. S., & Ametaj, A. A. (2013). Evidence-based psychological treatments: An update and a way forward. *Annual Review of Clinical Psychology*, 9, 1–27.
- Bateman, A., & Fonagy, P. (2006). *Mentalization-based treatment for borderline personality disorder: A practical guide*. New York: Oxford University Press.
- Bateman, A., & Fonagy, P. (2009). Randomized controlled trial of outpatient mentalization-based treatment versus structured clinical management for borderline personality disorder. *American Journal of Psychiatry*, 166, 1355–1364.
- Baumeister, R. F. (1990). Suicide as escape from self. *Psychological Review*, 97, 90–113.
- Beck, A. T. (1967). *Depression: Clinical, experimental, and theoretical aspects*. New York: Harper & Row.
- Beck, A. T. (1986). Hopelessness as a predictor of eventual suicide. *Annals of New York Academy of Sciences*, 487, 90–96.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Beck, A. T., & Steer, R. A. (1991). *Manual for Beck Scale for Suicide Ideation*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., & Steer, R. A. (1993). *Manual for Beck Hopelessness Scale*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., Kovacs, M., & Garrison, B. (1985). Hopelessness and eventual suicide: A 10-year prospective study of patients hospitalized with suicidal ideation. *American Journal of Psychiatry*, 142, 559–563.
- Beidas, R. S., Edmunds, J. M., Marcus, S. C., & Kendall, P. C. (2012). Training and consultation to promote implementation of an empirically supported treatment: A randomized trial. *Psychiatric Services*, 63, 660–665.
- Bender, E. (2014, October 10). Psychiatrists can minimize malpractice-suit anxiety. *Psychiatric News*.
- Bennett, K. M., Vaslef, S. N., Shapiro, M. L., Brooks, K. R., & Scarborough, J. E. (2009). Does intent matter?: The medical and societal burden of self-inflicted injury. *Journal of Trauma*, 67, 841–847.
- Berkowitz, R., Fang, Z., Helfand, B., Jones, R., Schreiber, R., & Paasche-Orlow, M. (2013). Project Re-Engineered Discharge (RED) lowers hospital readmissions of patients discharged from a skilled nursing facility. *Journal of the American Medical Directors Association*, 14, 736–740.
- Berman, A. L., & Jobes, D. A. (1991). *Adolescent suicide: Assessment and intervention*. Washington, DC: American Psychological Association.
- Berman, A. L., Jobes, D. A., & Silverman, M. M. (2006). *Adolescent suicide: Assessment and intervention* (2nd ed.). Washington, DC: American Psychological Association.

- Bonanno, G. A., & Castonguay, L. G. (1994). On balancing approaches to psychotherapy: Prescriptive patterns of attention, motivation, and personality. *Psychotherapy: Theory, Research, Practice, Training*, 31, 571–587.
- Bongar, B. (2002). *The suicidal patient: Clinical and legal standards of care* (2nd ed.). Washington, DC: American Psychological Association.
- Borges, G., & Rosovsky, H. (1996). Suicide attempts and alcohol consumption in an emergency room sample. *Journal of Studies on Alcohol and Drugs*, 57, 543–558.
- Bostwick, J. M., & Pankratz, V. S. (2000). Affective disorders and suicide risk: A reexamination. *American Journal of Psychiatry*, 157, 1925–1932.
- Boudreaux, E. D., & Horowitz, L. M. (2014). Suicide risk screening and assessment: Designing instruments with dissemination in mind. *American Journal of Preventive Medicine*, 47, S163–S169.
- Brancu, M., Jobes, D. A., Wanger, B., Greene, J., & Fratto, T. (2015, July 28). Are there linguistic markers of suicidal writing that can predict the course of treatment?: A repeated measures longitudinal analysis. *Archives of Suicide Research* [Epub ahead of print].
- Brent, D. A., Perper, J. A., Moritz, G., Baugher, M., Roth, C., Balach, L., et al. (1993). Stressful life events, psychopathology, and adolescent suicide: A case control study. *Suicide and Life-Threatening Behavior*, 23, 179–187.
- Bridge, J. A., Asti, L., Horowitz, L. M., Greenhouse, J. B., Fontanella, C. A., Sheftall, A. H., et al. (2015). Suicide trends among elementary school-aged children in the United States from 1993 to 2012. *Journal of the American Medical Association Pediatrics*, 169, 673–677.
- Bridge, J. A., Reynolds, B., McBee-Strayer, S. M., Sheftall, A. H., Ackerman, J., Stevens, J., et al. (2015). Impulsive aggression, delay discounting, and adolescent suicide attempts: Effects of current psychotropic medication use and family history of suicidal behavior. *Journal of Child and Adolescent Psychopharmacology*, 25, 114–123.
- Britton, P. C., Conner, K. R., & Maisto, S. A. (2012). An open trial of motivational interviewing to address suicidal ideation with hospitalized veterans. *Journal of Clinical Psychology*, 68, 961–971.
- Britton, P. C., Patrick, H., Wenzel, A., & Williams, G. C. (2011). Integrating motivational interviewing and self-determination theory with cognitive behavioral therapy to prevent suicide. *Cognitive and Behavioral Practice*, 18, 16–27.
- Britton, P. C., Williams, G. C., & Conner, K. R. (2008). Self-determination theory, motivational interviewing, and the treatment of clients with acute suicidal ideation. *Journal of Clinical Psychology*, 64, 52–66.
- Bromet, E., Andrade, L. H., Hwang, I., Sampson, N. A., Alonso, J., de Girolamo, G., et al. (2011). Cross-national epidemiology of DSM-IV major depressive episode. *BMC Medicine*, 9, 1–17.
- Brown, G. K. (2001). *A review of suicide assessment measures for intervention research with adults and older adults*. Bethesda, MD: National Institute of Mental Health.
- Brown, G. K., Beck, A. T., Steer, R. A., & Grisham, J. R. (2000). Risk factors for suicide in psychiatric outpatients: A 20-year prospective study. *Journal of Consulting and Clinical Psychology*, 68, 371–377.
- Brown, G. K., Have, T. T., Henriques, G. R., Xie, S. X., Hollander, J. E., & Beck, A. T. (2005). Cognitive therapy for the prevention of suicide attempts. *Journal of the American Medical Association*, 294, 563–570.
- Brown, G. K., Steer, R. A., Henriques, G. R., & Beck, A. T. (2005). The internal struggle between the wish to die and the wish to live: A risk factor for suicide. *American Journal of Psychiatry*, 162, 1977–1979.
- Brown, M. Z., & Chapman, A. L. (2007). Stopping self-harm once and for all: Relapse prevention in dialectical behavior therapy. In K. A. Witkiewitz & G. A. Marlatt (Eds.), *Therapist's guide to evidence-based relapse prevention* (pp. 191–213). Burlington, MA: Elsevier.
- Bryan, C. J., Blount, T., Kanzler, K. A., Morrow, C. E., Corso, K. A., Corso, M. A., et al. (2014). Reliability

- and normative data for the Behavioral Health Measure (BHM) in primary care behavioral health settings. *Family, Systems, and Health*, 32, 89–100.
- Bryan, C. J., Corso, K., Rudd, M., & Cordero, L. (2008). Improving identification of suicidal patients in primary care through routine screening. *Primary Care and Community Psychiatry*, 13, 143–147.
- Bryan, C. J., Jennings, K. W., Jobes, D. A., & Bradley, J. C. (2012). Understanding and preventing military suicide. *Archives of Suicide Research*, 16, 95–110.
- Bryan, C. J., Morrow, C. E., Etienne, N., & Ray-Sannerud, B. (2013). Guilt, shame, and suicidal ideation in a military outpatient clinical sample. *Depression and Anxiety*, 30, 55–60.
- Bryan, C. J., & Rudd, M. D. (2006). Advances in the assessment of suicide risk. *Journal of Clinical Psychology*, 62, 185–200.
- Bryan, C. J., & Rudd, M. D. (2010). *Managing suicide risk in primary care*. New York: Springer.
- Bryan, C. J., Stone, S. L., & Rudd, M. D. (2011). A practical, evidence-based approach for means-restriction counseling with suicidal patients. *Professional Psychology: Research and Practice*, 42, 339–346.
- Bush, N. E., Dobscha, S. K., Crumpton, R., Denneson, L. M., Hoffman, J. E., Crain, A., et al. (2015). A virtual hope box smartphone app as an accessory to therapy: Proof-of-concept in a clinical sample of veterans. *Suicide and Life-Threatening Behavior*, 24, 1–9.
- Capron, D. W., Fitch, K., Medley, A., Blagg, C., Mallott, M., & Joiner, T. (2012). Role of anxiety sensitivity subfactors in suicidal ideation and suicide attempt history. *Depression and Anxiety*, 29, 195–201.
- Cardeli, E. (2015). *Characteristics and functions of suicide attempts versus nonsuicidal self-injury in juvenile confinement*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Cavanagh, J. T. O., Carson, A. J., Sharpe, M., & Lawrie, S. M. (2003). Psychological autopsy studies of suicide: A systematic review. *Psychological Medicine*, 33, 395–405.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2010). Web-based Injury Statistics Query and Reporting System (WISQARS).
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2014). CDC data and statistics fatal injury report for 2011.
- Chiles, J. A., & Strosahl, K. D. (1995). *The suicidal patient: Principles of assessment, treatment, and case management*. Washington, DC: American Psychiatric Association.
- Claassen C. A., & Larkin, G. L. (2005). Occult suicidality in an emergency department population. *British Journal of Psychiatry*, 186, 352–353.
- Collins, L. M., Murphy, S. A., & Strecher, V. (2007). The multiphase optimization strategy (MOST) and the sequential multiple assignment randomized trial (SMART): New methods for more potent eHealth interventions. *American Journal of Preventive Medicine*, 32, S112–S118.
- Comtois, K. A., Jobes, D. A., O'Connor, S., Atkins, D. C., Janis, K., Chesson, C., et al. (2011). Collaborative assessment and management of suicidality (CAMS): Feasibility trial for next-day appointment services. *Depression and Anxiety*, 28, 963–972.
- Conrad, A. K., Jacoby, A. M., Jobes, D. A., Lineberry, T., Jobes, D., Shea, C., et al. (2009). A psychometric investigation of the suicide status form with suicidal inpatients. *Suicide and Life-Threatening Behavior*, 39, 307–320.
- Conwell, Y., Duberstein, P. R., Cox, C., Herrmann, J., Forbes, N., & Caine, E. D. (1998). Age differences in behaviors leading to completed suicide. *American Journal of Geriatric Psychiatry*, 6, 122–126.
- Coombs, D. W., Miller, H. L., Alarcon, R., Herlihy, C., Lee, J. M., & Morrison, D. P. (1992). Pre-suicide attempt communications between parasuicides and consulted caregivers. *Suicide and Life-Threatening Behavior*, 22, 289–302.
- Coope, C., Donovan, J., Wilson, C., Barnes, M., Metcalfe, C., Hollingworth, W., et al. (2015).

- Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners' records. *Journal of Affective Disorders*, 183, 98–105.
- Corona, C. (2015, April). *The psychometric properties of the CAMS Rating Scale: A preliminary evaluation*. Paper presented at the annual conference of the American Association of Suicidology, Atlanta, GA.
- Corona, C., & Jobes, D. A. (2013, April). *The role of response style in suicide risk assessment and treatment*. Paper presented at the annual conference of the American Association of Suicidology, Austin, TX.
- Corona, C. D., Jobes, D. A., Nielsen, A. C., Pedersen, C. M., Jennings, K. W., Lento, R. M., et al. (2013). Assessing and treating different suicidal states in a Danish outpatient sample. *Archives of Suicide Research*, 17, 302–312.
- Crowley, K. J., Arnkoff, D. B., Glass, C. R., & Jobes, D. A. (2014, April). Collaborative assessment and management of suicidality (CAMS): Adherence to a flexible clinical framework. In C. Corona (Chair), *The collaborative assessment and management of suicidality: Perspectives from the Catholic University suicide prevention lab*. Symposium presented at the annual conference of the American Association of Suicidology, Los Angeles, CA.
- Crumlish, J. A. (1996). *Therapist responses to difficult patient presentations*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Daniel, S. S., & Goldston, D. B. (2012). Hopelessness and lack of connectedness to others as risk factors for suicidal behavior across the lifespan: Implications for cognitive-behavioral treatment. *Cognitive and Behavioral Practice*, 19, 288–300.
- Dawes, R. M., Faust, D., & Meehl, P. E. (1989). Clinical versus actuarial judgment. *Science*, 243, 1668–1674.
- Derogatis, L. R., Lipman, R. S., Rickels, K., Uhlenhuth, E. H., & Covi, L. (1974). The Hopkins Symptom Checklist (HSCL): A self-report symptom inventory. *Behavioral Science*, 19, 1–15.
- Derogatis, L. R., Rickels, K., & Rock, A. (1976). The SCL-90 and the MMPI: A step in the validation of a new self-report scale. *British Journal of Psychiatry*, 128, 280–289.
- Derogatis, L. R., & Savitz, K. L. (1999). The SCL-90-R, Brief Symptom Inventory, and Matching Clinical Rating Scales. In M. E. Maruish (Ed.), *The use of psychological testing for treatment planning and outcomes assessment* (pp. 679–724). Mahwah, NJ: Erlbaum.
- Dimidjian, S., Goodman, S. H., Felder, J. N., Gallop, R., Brown, A. P., & Beck, A. (2014). An open trial of mindfulness-based cognitive therapy for the prevention of perinatal depressive relapse/recurrence. *Archives of Women's Mental Health*, 18, 85–94.
- Dimidjian, S., Hollon, S. D., Dobson, K. S., Schmaling, K. B., Kohlenberg, R. J., Addis, M. E., et al. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology*, 74, 658–670.
- Dozois, D. J. A., Mikail, S., Alden, L. E., Bieling, P. J., Bourgon, G., Clark, D. A., et al. (2014). The CPA presidential task force on evidence-based practice of psychological treatments. *Canadian Psychology*, 55, 153–160.
- Drapeau, C. W., & McIntosh, J. L. (for the American Association of Suicidology). (2014, October 18). *U.S.A. suicide 2012: Official final data*. Washington, DC: American Association of Suicidology.
- Droz, J. F., Jobes, D. A., & Luoma, J. B. (2000). The collaborative assessment and management of suicidality in Air Force mental health clinics. *The Air Force Psychologist*, 18, 6–11.
- Ducasse, D., René, E., Béziat, S., Guillaume, S., Courtet, P., & Olié, E. (2014). Acceptance and commitment therapy for management of suicidal patients: A pilot study. *Psychotherapy and Psychosomatics*, 83, 374–376.
- Durkheim, E. (1951). *Suicide: A study in sociology* (J. A. Spaulding & G. Simpson, Trans.). Glencoe, IL: Free Press. (Original work published 1897)

- Eddins, C. L., & Jobes, D. A. (1994). Do you see what I see?: Patient and clinician perceptions of underlying dimensions of suicidality. *Suicide and Life-Threatening Behavior*, 24, 170–173.
- Eisenberg, M. E., & Resnick, M. D. (2006). Suicidality among gay, lesbian and bisexual youth: The role of protective factors. *Journal of Adolescent Health*, 39, 662–668.
- Elkin, I., Shea, M., Watkins, J. T., Imber, S. D., Sotsky, S. M., Collins, J. F., et al. (1989). National Institute of Mental Health Treatment of Depression Collaborative Research Program: General effectiveness of treatments. *Archives of General Psychiatry*, 46, 971–982.
- Ellis, T. E. (2004). Collaboration and a self-help orientation in therapy with suicidal clients. *Journal of Contemporary Psychotherapy*, 34, 41–57.
- Ellis, T. E., Allen, J. G., Woodson, H., Frueh, B. C., & Jobes, D. A. (2010). Implementing an evidence-based approach to working with suicidal inpatients. *Bulletin of the Menninger Clinic*, 73, 339–354.
- Ellis, T. E., Daza, P., & Allen, J. G. (2012). Collaborative assessment and management of suicidality at Menninger (CAMS-M): An inpatient adaptation and implementation. *Bulletin of the Menninger Clinic*, 76, 147–171.
- Ellis, T. E., Green, K. L., Allen, J. G., Jobes, D. A., & Nadorff, M. R. (2012). Use of the collaborative assessment and management of suicidality in an inpatient setting: Results of a pilot study. *Psychotherapy*, 49, 72–80.
- Ellis, T. E., & Newman, C. F. (1996). *Choosing to live: How to defeat suicide through cognitive therapy*. Oakland, CA: New Harbinger.
- Ellis, T. E., & Patel, A. B. (2012). Client suicide: What now? *Cognitive and Behavioral Practice*, 19, 277–287.
- Ellis, T. E., & Rufino, K. A. (2015, April). *CAMS in a psychiatric inpatient setting: Outcomes and follow-up*. Paper presented at the annual conference of the American Association of Suicidology, Atlanta, GA.
- Ellis, T. E., Rufino, K. A., Allen, J. G., Fowler, J. C., & Jobes, D. A. (2015). Impact of a suicide-specific intervention within inpatient psychiatric care: The collaborative assessment and management of suicidality. *Suicide and Life-Threatening Behavior* [Epub ahead of print].
- Esposito-Smythers, C., & Spirito, A. (2004). Adolescent substance use and suicidal behavior: A review with implications for treatment research. *Alcoholism: Clinical and Experimental Research*, 28, 77S–88S.
- Familoni, J., & Rasmussen, A. (2012, May). *Randomized controlled study: Tailored evaluation and treatment for PTSD progression and suicide prevention by application of thermal imaging*. Presentation at Suicide Prevention Research Interim Progress Report meeting, Military Operational Medicine Research Program, Ft. Detrick, MD.
- Fazaa, N., & Page, S. (2003). Dependency and self-criticism as predictors of suicidal behavior. *Suicide and Life-Threatening Behavior*, 33, 172–185.
- Fazaa, N., & Page, S. (2005). Two distinct personality configurations: Understanding the therapeutic context with suicidal individuals. *Journal of Contemporary Psychotherapy*, 35, 331–346.
- Fazel, S., & Seewald, K. (2012). Severe mental illness in 33,588 prisoners worldwide: Systematic review and meta-regression analysis. *British Journal of Psychiatry*, 200, 364–373.
- Fazel, S., & Yu, R. (2011). Psychotic disorders and repeat offending: Systematic review and meta-analysis. *Schizophrenia Bulletin*, 37, 800–810.
- Fergusson, D., Doucette, S., Glass, K. C., Shapiro, S., Healy, D., Hebert, P., et al. (2005). Association between suicide attempts and selective serotonin reuptake inhibitors: Systematic review of randomised controlled trials. *British Medical Journal*, 330, 396.
- Figueroa, R., Harman, J., & Engberg, J. (2004). Use of claims data to examine the impact of length of inpatient psychiatric stay on readmission rate. *Psychiatric Services*, 55, 560–565.
- Florentine, J. B., & Crane, C. (2010). Suicide prevention by limiting access to methods: A review of theory and practice. *Social Science and Medicine*, 70, 1626–1632.
- Foa, E. B. (2010). Dissemination of evidence-based psychological treatments for posttraumatic stress disorder in the Veterans Health Administration. *Journal of Traumatic Stress*, 23, 663–673.

- Foa, E., Hembree, E., & Rothbaum, B. O. (2007). *Prolonged exposure therapy for PTSD: Emotional processing of traumatic experiences therapist guide*. New York: Oxford University Press.
- Fratto, T., Jobes, D. A., Pentiuc, D., Rice, R., & Tendick, V. (2004). *The SSF One-Thing Assessment for Suicidal Risk*. Unpublished manuscript, The Catholic University of America, Washington, DC.
- Freud, S. (1961). *Civilization and its discontents* (J. Strachey, Trans.). New York: Norton. (Original work published 1930)
- Garfield, S. L. (1994). Research on client variables in psychotherapy. In A. E. Bergin & S. L. Garfield (Eds.), *Handbook of psychotherapy and behavior change* (4th ed., pp. 190–228). New York: Wiley.
- Gay, P. (1989). *The Freud reader*. New York: Norton.
- Ghahramanlou-Holloway, M., Cox, D. W., & Greene, F. N. (2012). Post-admission cognitive therapy: A brief intervention for psychiatric inpatients admitted after a suicide attempt. *Cognitive and Behavioral Practice, 19*, 233–244.
- Gibbons, R. D., Brown, C. H., Hur, K., Davis, J. M., & Mann, J. J. (2012). Suicidal thoughts and behavior with antidepressant treatment: Reanalysis of the randomized placebo-controlled studies of fluoxetine and venlafaxine. *Archives of General Psychiatry, 69*, 580–587.
- Giner, L., Blasco-Fontecilla, H., Perez-Rodriguez, M. M., Garcia-Nieto, R., Giner, J., Guija, J. A., et al. (2013). Personality disorders and health problems distinguish suicide attempters from completers in a direct comparison. *Journal of Affective Disorders, 151*, 474–483.
- Glashouwer, K. A., de Jong, P. J., Penninx, B. W., Kerkhof, A. J., van Dyck, R., & Ormel, J. (2010). Do automatic self-associations relate to suicidal ideation? *Journal of Psychopathology and Behavioral Assessment, 32*, 428–437.
- Gleeson, J. F., Cotton, S. M., Alvarez-Jimenez, M., Wade, D., Gee, D., Crisp, K., et al. (2011). A randomized controlled trial of relapse prevention therapy for first-episode psychosis patients: Outcome at 30-month follow-up. *Schizophrenia Bulletin, 39*, 436–448.
- Goldstein, J. (1993). Psychiatry. In W. F. Bynum & R. Porter (Eds.), *Companion encyclopedia of the history of medicine* (Vol. 2, pp. 1350–1372). New York: Routledge.
- Goldstein, T. R., Bridge, J. A., & Brent, D. A. (2008). Sleep disturbance preceding completed suicide in adolescents. *Journal of Consulting and Clinical Psychology, 76*, 84–91.
- Goldston, D. B. (2003). *Measuring suicidal behavior and risk in children and adolescents*. Washington, DC: American Psychological Association.
- Goodman, M. (2012, May). *Affective startle and suicide risk*. Presentation at Suicide Prevention Research Interim Progress Report meeting, Military Operational Medicine Research Program, Ft. Detrick, MD.
- Goodman, M. (2015, May). *High-risk suicidal behavior in veterans: Assessment and predictors and efficacy of dialectical behavior therapy*. Presentation at the Suicide Prevention Research Interim Progress Report meeting, Military Operational Medicine Research Program, Ft. Detrick, MD.
- Gould, M. S. (2013, June). *Follow-up contact by crisis center workers*. Presentation at the National Life-line Standards Training and Practice Steering Committee Meeting, Rockville, MD.
- Gould, M. S., Kalafat, J., Harris-Munfakh, J. L., & Kleinman, M. (2007). An evaluation of crisis hotline outcomes part 2: Suicidal callers. *Suicide and Life-Threatening Behavior, 37*, 338–352.
- Gould, M. S., Munfakh, J. L., Kleinman, M., & Lake, A. M. (2012). National suicide prevention life-line: Enhancing mental health care for suicidal individuals and other people in crisis. *Suicide and Life-Threatening Behavior, 42*, 22–35.
- Gunnell, D., Saperia, J., & Ashby, D. (2005). Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: Meta-analysis of drug company data from placebo controlled, randomized controlled trials submitted to the MHRA's safety review. *British Medical Journal, 330*, 385.
- Gysin-Maillart, A., Schwab, S., Soravia, L., Megert, M., & Michel, K. (2016). A novel brief therapy for patients who attempt suicide: A 24-month follow-up randomized controlled study of the attempted suicide short intervention program. *PLoS Medicine* [Epub ahead of print].
- Harris, K. M., McLean, J. P., Sheffield, J., & Jobes, D. A. (2010). The internal suicide debate hypothesis: Exploring the life versus death struggle. *Suicide and Life Threatening Behavior, 40*, 181–192.

- Harris, R. (2009). *ACT made simple: An easy to read primer on acceptance and commitment therapy*. Oakland, CA: New Harbinger.
- Harrison, D. P., Stritzke, W. G., Fay, N., Ellison, T. M., & Hudaib, A. R. (2014). Probing the implicit suicidal mind: Does the Death/Suicide Implicit Association Test reveal a desire to die, or a diminished desire to live? *Psychological Assessment*, 26, 831–840.
- Hashmi, S., & Kapoor, R. (2010). Degree of proof necessary to establish proximate causation of suicide. *Journal of the American Academy of Psychiatry and the Law*, 38, 130–132.
- Hawton, K. (2007). Restricting access to methods of suicide: Rationale and evaluation of this approach to suicide prevention. *Crisis: Journal of Crisis Intervention and Suicide Prevention*, 28, 4–9.
- Hayes, S. C., Strosahl, K. D., & Wilson, K. G. (2011). *Acceptance and commitment therapy: The process and practice of mindful change* (2nd ed.). New York: Guilford Press.
- Hendin, H., Haas, A. P., Maltzberger, J. T., Szanto, K., & Rabinowicz, H. (2004). Factors contributing to therapists' distress after the suicide of a patient. *American Journal of Psychiatry*, 161, 1442–1446.
- Henriques, G., Beck, A. T., & Brown, G. K. (2003). Cognitive therapy for adolescent and young adult suicide attempters. *American Behavioral Scientist*, 46, 1258–1268.
- Higgins, E. T. (1999). When do self-discrepancies have specific relations to emotions?: The second-generation question of Tangney, Niedenthal, Covert, and Barlow (1998). *Journal of Personality and Social Psychology*, 77, 1313–1317.
- Higgins, E. T., Roney, C. J. R., Crowe, E., & Hymes, C. (1994). Ideal versus ought predilections for approach and avoidance: Distinct self-regulatory systems. *Journal of Personality and Social Psychology*, 66, 276–286.
- Holmes, J., Saghafi, S., Monahan, M., Cardeli, E., & Jobes, D. (2014, April). *Self-hate and suicide: An analysis of incarcerated youth*. Paper presented at the 47th annual conference of the American Association of Suicidology, Los Angeles, CA.
- Hooley, J. M., Franklin, J. C., & Nock, M. K. (2014). Chronic pain and suicide: Understanding the association. *Current Pain and Headache Reports*, 18, 1–6.
- Horowitz, L. M., Bridge, J. A., Pao, M., & Boudreaux, E. D. (2014). Screening youth for suicide risk in medical settings: Time to ask questions. *American Journal of Preventive Medicine*, 47, S170–S174.
- Horowitz, L. M., Snyder, D., Ludi, E., Rosenstein, D. L., Kohn-Godbout, J., Lee, L., et al. (2013). Ask suicide-screening questions to everyone in medical settings: The asQ'em quality improvement project. *Psychosomatics*, 54, 239–247.
- Horvath, A. O., & Symonds, B. D. (1991). Relationship between working alliance and outcome in psychotherapy: A meta-analysis. *Journal of Counseling Psychology*, 38, 139–149.
- Hufford, M. R. (2001). Alcohol and suicidal behavior. *Clinical Psychology Review*, 21, 797–811.
- Huijbers, M. J., Spijker, J., Donders, A. R. T., van Schaik, D. J., van Oppen, P., Ruhé, H. G., et al. (2012). Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: Trial design and protocol of the MOMENT study. *BMC Psychiatry*, 12, 125.
- Hunsley, J. (2015). Translating evidence-based assessment principles and components into clinical practice settings. *Cognitive and Behavioral Practice*, 22, 101–109.
- Jacobson, N. S., Martell, C. R., & Dimidjian, S. (2001). Behavioral activation treatment for depression. *Clinical Psychology: Science and Practice*, 8, 255–270.
- Jacoby, A. M. (2003). *Negative countertransference in psychotherapy with suicidal patients*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Jennings, K. (2015). *Investigating the internal struggle hypothesis of suicide: Differential assessments of suicidal states using reasons for living and reasons for dying qualitative responses*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Jennings, K., Jobes, D., O'Connor, S., & Comtois, K. (2012, April). *Suicide Status Form (SSF) macro-coded typologies of treatment-engaged suicidal patients and associated clinical implications*. Paper presented at the annual conference of the American Association of Suicidology, Baltimore, MD.

- Jennings, K. W. (2012, June). *CAMS in a group format*. Presentation at the annual DOD/VA Suicide Prevention Conference, Washington, DC.
- Jobes, D. A. (1995a). The challenge and promise of clinical suicidology. *Suicide and Life-Threatening Behavior*, 25, 437–449.
- Jobes, D. A. (1995b). Psychodynamic treatment of adolescent suicide attempters. In J. Zimmerman & G. M. Asnis (Eds.), *Treatment approaches with suicidal adolescents* (pp. 137–154). New York: Wiley.
- Jobes, D. A. (2000). Collaborating to prevent suicide: A clinical-research perspective. *Suicide and Life-Threatening Behavior*, 30, 8–17.
- Jobes, D. A. (2001, April). *Quantitative/qualitative assessment of suicidality*. Paper presented at the annual conference of the American Association of Suicidology, Atlanta, GA.
- Jobes, D. A. (2003). Understanding suicide in the 21st century. *Preventing Suicide: The National Journal*, 2, 2–4.
- Jobes, D. A. (2004a, April). *Crisis center use of the SSF*. Workshop presentation at the annual conference of the American Association of Suicidology, Miami, FL.
- Jobes, D. A. (2004b, October). *The psychology of suicide: Research on what suicidal patients have to say*. Keynote address at the 3rd annual Military Suicide Prevention Conference, Crystal City, VA.
- Jobes, D. A. (2005). *Assessing and treating suicidal college students*. Unpublished research grant proposal.
- Jobes, D. A. (2006). *Managing suicidal risk: A collaborative approach*. New York: Guilford Press.
- Jobes, D. A. (2011). Suicidal blackmail: Ethical and risk management issues in contemporary clinical care. In W. B. Johnson & G. P. Koocher (Eds.), *Ethical conundrums, quandaries, and predicaments in mental health practice: A casebook from the files of experts* (pp. 33–40). New York: Oxford University Press.
- Jobes, D. A. (2012). The collaborative assessment and management of suicidality (CAMS): An evolving evidence-based clinical approach to suicidal risk. *Suicide and Life-Threatening Behavior*, 42, 640–653.
- Jobes, D. A. (2013a, September). *Innovations in suicide risk assessment and crisis intervention*. Invited plenary address to the Congress of the International Association for Suicide Prevention, Oslo, Norway.
- Jobes, D. A. (2013b, September). *A randomized trial of the collaborative assessment and management of suicidality vs. enhanced care as usual for suicidal Soldiers*. Panel presentation at the Congress of the International Association for Suicide Prevention, Oslo, Norway.
- Jobes, D. A. (2013c). Reflections on suicide among Soldiers. *Psychiatry*, 76, 126–131.
- Jobes, D. A. (2014, August). *Active duty military and veterans suicide risk: Perspectives from a collaborative clinical approach*. Panel presentation at the annual convention of the American Psychological Association, Washington, DC.
- Jobes, D. A. (2015, June). *CAMS as an intervention for suicide risk*. Plenary presentation at the Congress of the International Association for Suicide Prevention, Montreal, Quebec, Canada.
- Jobes, D. A. (2016, April). *Changing clinical care to save lives*. Linehan Award Presentation at the 49th annual conference of the American Association of Suicidology, Chicago, IL.
- Jobes, D. A., & Berman, A. L. (1993). Suicide and malpractice liability: Assessing and revising policies, procedures, and practice in outpatient settings. *Professional Psychology: Research and Practice*, 24, 91–99.
- Jobes, D. A., & Bostwick, J. M. (2006, April). *Perturbed suicidality: Research and treatment*. Research presentation at the annual conference of the American Association of Suicidology, Seattle, WA.
- Jobes, D. A., & Bowers, M. (2015). Treating suicidal risk in a post-healthcare reform era. *Journal of Aggression, Conflict and Peace Research*, 7, 167–178.
- Jobes, D. A., Bryan, C. J., & Neal-Walden, T. A. (2009). Conducting suicide research in naturalistic clinical settings. *Journal of Clinical Psychology*, 65, 382–395.
- Jobes, D. A., Casey, J. O., Berman, A. L., & Wright, D. G. (1991). Empirical criteria for the determination of suicide manner of death. *Journal of Forensic Sciences*, 36, 244–256.

- Jobes, D. A., Comtois, K., Brenner, L., & Gutierrez, P. (2011). Clinical trial feasibility studies of the Collaborative Assessment and Management of Suicidality (CAMS). In R. C. O'Connor, S. Platt, & J. Gordon (Eds.), *International handbook of suicide prevention: Research, policy, and practice* (pp. 383–400). West Sussex, UK: Wiley-Blackwell.
- Jobes, D. A., Comtois, K. A., Brenner, L. A., Gutierrez, P. M., & O'Connor, S. S. (2016). Lessons learned from clinical trials of the Collaborative Assessment and Management of Suicidality (CAMS). In R. C. O'Connor & J. Pirkis (Eds.), *International handbook of suicide prevention* (2nd ed., pp. 431–449). West Sussex, UK: Wiley-Blackwell.
- Jobes, D. A., Comtois, K. A., Brown, G. K., & Sung, J. (2015, April). *Evidence-based practice for suicidal risk: Rhetoric vs. reality*. Panel presentation at the annual conference of the American Association of Suicidology, Atlanta, GA.
- Jobes, D. A., & Drozd, J. F. (2004). The CAMS approach to working with suicidal patients. *Journal of Contemporary Psychotherapy*, 34, 73–85.
- Jobes, D. A., Eyman, J. R., & Yufit, R. I. (1995). How clinicians assess suicide risk in adolescents and adults. *Crisis Intervention and Time-Limited Treatment*, 2, 1–12.
- Jobes, D. A., & Flemming, E. P. (2004, August). *Qualitative SSF assessments of suicidality and treatment outcome*. Paper presented at the 10th European Symposium on Suicide and Suicide Behaviors, Copenhagen, Denmark.
- Jobes, D. A., Jacoby, A. M., Cimboric, P., & Hustead, L. A. T. (1997). Assessment and treatment of suicidal clients in a university counseling center. *Journal of Counseling Psychology*, 44, 368–377.
- Jobes, D. A., & Jennings, K. W. (2011). The collaborative assessment and management of suicidality (CAMS) with college students. In D. Lamis & D. Lester (Eds.), *Understanding and preventing college student suicide* (pp. 236–254). Springfield, IL: Charles C Thomas.
- Jobes, D. A., Kahn-Greene, E., Greene, J., & Goeke-Morey, M. (2009). Clinical improvements of suicidal outpatients: Examining suicide status form responses as predictors and moderators. *Archives of Suicide Research*, 13, 147–159.
- Jobes, D. A., & Karmel, M. P. (1996). Case consultation with a suicidal adolescent. In A. Leenaars & D. Lester (Eds.), *Suicide and the unconscious* (pp. 175–193). Northvale, NJ: Aronson.
- Jobes, D. A., Luoma, J. B., Hustead, L. A. T., & Mann, R. (2000). In the wake of suicide: Survivorship and postvention. In R. Maris (Ed.), *Textbook of suicidology and suicide prevention* (pp. 536–561). New York: Guilford Press.
- Jobes, D. A., Luoma, J. B., Jacoby, A. M., & Mann, R. E. (1998). *Manual for the collaborative assessment and management of suicidality (CAMS)*. Unpublished manuscript, The Catholic University of America, Washington, DC.
- Jobes, D. A., & Maltzberger, J. T. (1995). The hazards of treating suicidal patients. In M. B. Sussman (Ed.), *A perilous calling: The hazards of psychotherapy practice* (pp. 200–214). New York: Wiley.
- Jobes, D. A., & Mann, R. E. (1999). Reasons for living versus reasons for dying: Examining the internal debate of suicide. *Suicide and Life-Threatening Behavior*, 29, 97–104.
- Jobes, D. A., & Mann, R. E. (2000). Letters to the editor—Reply. *Suicide and Life-Threatening Behavior*, 30, 182.
- Jobes, D. A., & Nelson, K. N. (2006). Shneidman's contributions to the understanding of suicidal thinking. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 29–49). Washington, DC: American Psychological Association.
- Jobes, D. A., Nelson, K. N., Peterson, E. M., Pentiuc, D., Downing, V., Francini, K., et al. (2004). Describing suicidality: An investigation of qualitative SSF responses. *Suicide and Life-Threatening Behavior*, 34, 99–112.
- Jobes, D. A., & O'Connor, S. (2009). The duty to protect: Suicide assessment and intervention. In J. Werth, E. Welfel, & G. Benjamin (Eds.), *The duty to protect: Ethical, legal, and professional considerations in risk assessment and intervention* (pp. 163–180). Washington, DC: American Psychological Association.
- Jobes, D. A., Rudd, M. D., Overholser, J. C., & Joiner, T. E. (2008). Ethical and competent care of

- suicidal patients: Contemporary challenges, new developments, and considerations for clinical practice. *Professional Psychology: Research and Practice*, 39, 405–413.
- Jobes, D. A., Stone, G., Wagner, B., Conrad, A., & Lineberry, T. (2010, September). *Suicide facilitating and preventive aspects of self vs. relational orientations*. Paper presented at the 13th European Symposium of Suicide and Suicidal Behavior, Rome, Italy.
- Jobes, D. A., Wong, S. A., Conrad, A., Drozd, J. F., & Neal-Walden, T. (2005). The collaborative assessment and management of suicidality vs. treatment as usual: A retrospective study with suicidal outpatients. *Suicide and Life-Threatening Behavior*, 35, 483–497.
- Johnson, L. (2012, June). *Group therapy for individuals with increased risk for suicide: Provider and veteran perspectives*. Poster presented at the Annual DOD/VA Suicide Prevention Conference, Washington, DC.
- Johnson, L. L., O'Connor, S. S., Kaminer, B., Jobes, D. A., & Gutierrez, P. M. (2014). Suicide-focused group therapy for veterans. *Military Behavioral Health*, 2, 327–336.
- Joiner, T. E. (2005). *Why people die by suicide*. Cambridge, MA: Harvard University Press.
- Joiner, T. E. (2015, May). *Optimizing screening and risk assessment for suicide risk in the US military*. Presentation at Suicide Prevention Research Interim Progress Report meeting, Military Operational Medicine Research Program, Ft. Detrick, MD.
- Joiner, T. E., Conwell, Y., Fitzpatrick, K. K., Witte, T. K., Schmidt, N. B., Berlim, M. T., et al. (2005). Four studies on how past and current suicidality relate even when “everything but the kitchen sink” is covaried. *Journal of Abnormal Psychology*, 114, 291–303.
- Joiner, T. E., Steer, R. A., Brown, G., Beck, A. T., Pettit, J. W., & Rudd, M. D. (2003). Worst-point suicidal plans: A dimension of suicidality predictive of past suicide attempts and eventual death by suicide. *Behaviour Research and Therapy*, 41, 1469–1480.
- Joiner, T. E., Walker, R. L., Rudd, M. D., & Jobes, D. A. (1999). Scientizing and routinizing the assessment of suicidality in outpatient practice. *Professional Psychology: Research and Practice*, 30, 447–453.
- The Joint Commission. (2010). A follow-up report on preventing suicide: Focus on medical/surgical units and the emergency department. *Sentinel Event Alert*, 46, 1–4.
- The Joint Commission. (2013). Sentinel event data: Root causes by event type 2004–June 2013. Retrieved March 20, 2015.
- The Joint Commission. (2016). Detecting and treating suicidal ideation in all settings. *Sentinel Event Alert*, 56, 1–7.
- Joubert, L., Petrakis, M., & Cementon, E. (2012). Suicide attempt presentations at the emergency department: Outcomes from a pilot study examining precipitating factors in deliberate self-harm and issues in primary care physician management. *Social Work in Health Care*, 51, 66–76.
- Judd, S., Jobes, D. A., Arnkoff, D. B., & Fenton, W. (1999). *Negative countertransference and suicide: An empirical evaluation*. Unpublished manuscript, The Catholic University of America, Washington, DC.
- Kahl, K. G., Winter, L., & Schweiger, U. (2012). The third wave of cognitive behavioural therapies: What is new and what is effective? *Current Opinion in Psychiatry*, 25, 522–528.
- Karlin, B. E., Ruzek, J. I., Chard, K. M., Eftekhari, A., Monson, C. M., Hembree, E. A., et al. (2010). Dissemination of evidence-based psychological treatments for posttraumatic stress disorder in the Veterans Health Administration. *Journal of Traumatic Stress*, 23, 663–673.
- Kayser, S., Bewernick, B. H., Grubert, C., Hadrysiewicz, B. L., Axmacher, N., & Schlaepfer, T. E. (2011). Antidepressant effects, of magnetic seizure therapy and electroconvulsive therapy, in treatment-resistant depression. *Journal of Psychiatric Research*, 45, 569–576.
- Kinsler, P. J., & Saxman, A. (2007). Traumatized offenders: Don't look now, but your jail's also your mental health center. *Journal of Trauma and Dissociation*, 8, 81–95.
- Klonsky, E. D., & May, A. (2010). Rethinking impulsivity in suicide. *Suicide and Life-Threatening Behavior*, 40, 612–619.

- Klonsky, E. D., & May, A. (2015). The three-step theory (3ST): A new theory of suicide rooted in the "ideation-to-action" framework. *International Journal of Cognitive Therapy*, 8, 114–129.
- Knox, K. L., Stanley, B., Currier, G. W., Brenner, L., Ghahramanlou-Holloway, M., & Brown, B. (2012). An emergency department-based brief intervention for veterans at risk for suicide (SAFE VET). *American Journal of Public Health*, 102, 33–37.
- Kohen, D. (2004). Diabetes mellitus and schizophrenia: Historical perspective. *British Journal of Psychiatry*, 184, s64–s66.
- Kopta, S. M., & Lowry, J. L. (2002). Psychometric evaluation of the Behavioral Health Questionnaire–20: A brief instrument for assessing global mental health and the three phases of psychotherapy outcome. *Society for Psychotherapy Research*, 12, 413–426.
- Kopta, S. M., Petrik, M., Saunders, S., Mond, M., Hirsch, G., Kadison, R., et al. (2014). The utility of an efficient outcomes assessment system at university counseling centers. *Journal of College Student Psychotherapy*, 28, 97–116.
- Kovacs, M., & Beck, A. T. (1977). The wish to die and the wish to live in attempted suicides. *Journal of Clinical Psychology*, 33, 361–365.
- Kraft, T. L., Jobes, D. A., Lineberry, T. L., & Conrad, A. K. (2010). Brief report: Why suicide? Perceptions of suicidal inpatients and reflections of clinical researchers. *Archives of Suicide Research*, 14, 375–382.
- Kulish, A., Jobes, D. A., & Lineberry, T. (2012, April). Development of a reliable coding system for the SSF "one thing" response. Poster presented at the annual conference of the American Association of Suicidology, Baltimore, MD.
- Lahti, A., Keränen, S., Hakko, H., Riala, K., & Räsänen, P. (2014). Northern excess in adolescent male firearm suicides: A register-based regional study from Finland, 1972–2009. *European Child and Adolescent Psychiatry*, 23, 45–52.
- Lambert, M. J., Burlingame, G., Umphress, V., Hansen, N., Vermeersch, D., Clouse, G., et al. (1996). The reliability and validity of the Outcome Questionnaire. *Clinical Psychology and Psychotherapy*, 3, 106–116.
- Lambert, M. J., Hansen, N. B., Umphress, V., Lunnen, K., Okiishi, J., Burlingame, G., et al. (1996). *Administration and scoring manual for the Outcome Questionnaire (OQ 45.2)*. Wilmington, DE: American Professional Credentialing Services.
- Lambert, M. J., & Shimokawa, K. (2011). Collecting client feedback. *Psychotherapy*, 48, 72–79.
- Lebensohn, Z. M. (1999). The history of electroconvulsive therapy in the United States and its place in American psychiatry: A personal memoir. *Comprehensive Psychiatry*, 40, 173–181.
- Leenaars, A. A. (2004). *Psychotherapy with suicidal people: A person-centered approach*. New York: Wiley.
- Lento, R. M., Ellis, T. E., Hinnant, B. J., & Jobes, D. A. (2013). Using the suicide index score to predict treatment outcomes among psychiatric inpatients. *Suicide and Life-Threatening Behavior*, 43, 547–561.
- Lento, R. M., Ellis, T. E., & Jobes, D. A. (2013, April). *Self vs. relational suicidal orientation: Implications for treatment course and outcome*. Paper session presented at the 46th annual conference of the American Association of Suicidology, Austin, TX.
- Lewis, L. M. (2007). No-harm contracts: A review of what we know. *Suicide and Life-Threatening Behavior*, 37, 50–57.
- Lineberry, T. W., Brancu, M., Varghese, R., Jobes, D. A., Jacoby, A. M., Conrad, A. K., et al. (2006, March). *Clinical use of the suicide status form on a psychiatric inpatient unit*. Poster presented at the Fourth Aeschi Conference, Aeschi, Switzerland.
- Linehan, M. M. (1993a). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M. (1993b). *Skills training manual for treating borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M. (1998, April). *Is anything effective for reducing suicidal behavior?* Paper presented at the annual conference of the American Association of Suicidology, Bethesda, MD.

- Linehan, M. M. (2005, August). *Latest research on suicide and DBT*. Paper presented at the annual convention of the American Psychological Association, Washington, DC.
- Linehan, M. M. (2014). *DBT skills training manual* (2nd ed.). New York: Guilford Press.
- Linehan, M. M. (2015, February). Effective suicide care: Evidence-based treatments. Suicide Prevention Resource Center, Zero Suicide webinar presentation.
- Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D., & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 48, 1060–1064.
- Linehan, M. M., Comtois, K. A., Murray, A. M., Brown, M. Z., Gallop, R. J., Heard, H. L., et al. (2006). Two year randomized controlled trial and follow up of dialectical behavioral therapy vs. therapy by experts for suicidal behaviors and borderline personality disorder. *Archives of General Psychiatry*, 63, 757–766.
- Linehan, M. M., Goodstein, J. L., Nielsen, S. L., & Chiles, J. A. (1983). Reasons for staying alive when you are thinking of killing yourself: The reasons for living inventory. *Journal of Consulting and Clinical Psychology*, 51, 276–286.
- Linehan, M. M., Korslund, K. E., Harned, M. S., Gallop, R. J., Lungu, A., Neacsiu, A. D., et al. (2015). Dialectical behavior therapy for high suicide risk in individuals with borderline personality disorder: A randomized clinical trial and component analysis. *JAMA Psychiatry*, 72, 475–482.
- Linehan, M. M., Schmidt, H., Dimeff, L., Craft, J. C., Kanter, J., & Comtois, K. A. (1999). Dialectical behavioral therapy for patients with borderline personality disorder and drug dependence. *American Journal on Addictions*, 8, 279–292.
- Longcamp, M., Boucard, C., Gilhodes, J. C., Anton, J., Roth, M., Nazarian, B., et al. (2008). Learning through hand- or typewriting influences visual recognition of new graphic shapes: Behavioral and functional imaging evidence. *Journal of Cognitive Neuroscience*, 20, 802–815.
- Longcamp, M., Boucard, C., Gilhodes, J. C., & Velay, J. L. (2006). Remembering the orientation of newly learned characters depends on the associated writing knowledge: A comparison between handwriting and typing. *Human Movement Science*, 25, 646–656.
- Luoma, J. B. (1999). *Students' perceptions of items on the Suicide Status Form*. Unpublished manuscript, The Catholic University of American, Washington, DC.
- Luoma, J. B., Martin, K. E., & Pearson, J. L. (2002). Contact with mental health and primary care providers before suicide: A review of the evidence. *American Journal of Psychiatry*, 159, 909–916.
- Luoma, J. B., & Villatte, J. L. (2012). Mindfulness in treatment of suicidal individuals. *Cognitive and Behavioral Practice*, 19, 265–276.
- Luxton, D. D., June, J. D., & Comtois, K. A. (2013). Can post-discharge follow-up contacts prevent suicide and suicidal behavior?: A review of the evidence. *Crisis*, 34, 32–41.
- Maltsberger, J. T. (1994). Calculated risk-taking in the treatment of suicidal patients: Ethical and legal problems. In A. Leenaars, J. Maltsberger, & R. Neimeyer (Eds.), *Treatment of suicidal people* (pp. 195–205). Washington, DC: Taylor & Francis.
- Maltsberger, J. T., & Buie, E. H. (1974). Countertransference hate in the treatment of suicidal patients. *Archives of General Psychiatry*, 30, 625–633.
- Mann, J. J., Apter, A., Bertolote, J., Beautrais, A., Currier, D., Haas, A., et al. (2005). Suicide prevention strategies: A systematic review. *Journal of the American Medical Association*, 294, 2064–2074.
- Mann, R. (2002). *Reasons for living vs. reasons for dying: The development of suicidal typologies for predicting treatment outcomes*. Unpublished dissertation, The Catholic University of America, Washington, DC.
- Maris, R. W., Berman, A. L., & Maltsberger, J. T. (1992). Summary and conclusions: What have we learned about suicide assessment and prediction? In R. W. Maris, A. L. Maris, J. T. Maltsberger, & R. I. Yufit (Eds.), *Assessment and prediction of suicide* (pp. 640–668). New York: Guilford Press.
- Maris, R. W., Berman, A. L., & Silverman, M. M. (2000). *Comprehensive textbook of suicidology*. New York: Guilford Press.

- Mark, T. L. (2010). For what diagnoses are psychotropic medications being prescribed? *CNS Drugs*, 24, 319–326.
- Marshall, E., York, J., Magruder, K., Yeager, D., Knapp, R., De Santis, M., et al. (2014). Implementation of online suicide-specific training for VA providers. *Academic Psychiatry*, 38, 566–574.
- Martell, C. R., Dimidjian, S., & Herman-Dunn, R. (2013). *Behavioral activation for depression: A clinician's guide*. New York: Guilford Press.
- Mashour, G. A., Walker, E. E., & Martuza, R. L. (2005). Psychosurgery: Past, present, and future. *Brain Research Reviews*, 48, 409–419.
- Matulis, S., Resick, P. A., Rosner, R., & Steil, R. (2014). Developmentally adapted cognitive processing therapy for adolescents suffering from posttraumatic stress disorder after childhood sexual or physical abuse: A pilot study. *Clinical Child and Family Psychology Review*, 17, 173–190.
- McHugh, R. K., & Barlow, D. H. (2010). The dissemination and implementation of evidence-based psychological treatments: A review of current efforts. *American Psychologist*, 65, 73–84.
- McLaren, S., & Challis, C. (2009). Resilience among men farmers: The protective roles of social support and sense of belonging in the depression-suicidal ideation relation. *Death Studies*, 33, 262–276.
- McWilliams, N. (2011). *Psychoanalytic diagnosis: Understanding personality structure in the clinical process* (2nd ed.). New York: Guilford Press.
- Meehan, J., Kapur, N., Hunt, I. M., Turnbull, P., Robinson, J., Bickley, H., et al. (2006). Suicide in mental health in-patients and within 3 months of discharge: National clinical survey. *British Journal of Psychiatry*, 188, 129–134.
- Meehl, P. E. (1997). Credentialed persons, credentialed knowledge. *Clinical Psychology: Science and Practice*, 4, 91–98.
- Melonas, J. M. (2011). Patients at risk for suicide: Risk management and patient safety considerations to protect the patient and the physician. *Innovations in Clinical Neuroscience*, 8, 45–49.
- Meltzer, H. Y., Alphs, L., Green, A. I., Altamura, A. C., Anand, R., Bertoldi, A., et al. (2003). Clozapine treatment for suicidality in schizophrenia: International suicide prevention trial (InterSePT). *Archives of General Psychiatry*, 60, 82–91.
- Michaelsen, K., & Shankar, C. (2014). Suicide: Who is to blame? *Journal of the American Academy of Psychiatry and the Law*, 42, 109–111.
- Michel, K., & Gysin-Maillart, A. (2015). *ASSIP: Attempted suicide short intervention program: A manual for clinicians*. Boston: Hogrefe.
- Michel, K., & Jobes, D. A. (2010). *Building a therapeutic alliance with the suicidal patient*. Washington, DC: American Psychological Association Press.
- Michel, K., Maltsberger, J. T., Jobes, D. A., Leenaars, A., Orbach, I., Young, R., et al. (2002). Discovering the truth in attempted suicide. *American Journal of Psychotherapy*, 56, 424–437.
- Michel, K., Valach, L., & Waeber, V. (1994). Understanding deliberate self-harm: The patient's view. *Crisis*, 15, 172–178.
- Millon, T. (2004). *Masters of the mind: Exploring the story of mental illness from ancient times to the new millennium*. Hoboken, NJ: Wiley.
- Mills, P. D., Watts, B. V., Miller, S., Kemp, J., Knox, K., DeRosier, J. M., et al. (2010). A checklist to identify inpatient suicide hazards in veterans affairs hospitals. *Joint Commission Journal on Quality and Patient Safety*, 36, 87–93.
- Mishara, B. L., Chagnon, F., Daigle, M., Bogdan, B., Raymond, S., Marcous, I., et al. (2005, April). *Practical implications for crisis centers of the AAS-Hopeline Silent Monitoring Evaluation Study*. Paper presented at the annual conference of the American Association of Suicidology, Denver, CO.
- Monahan, M., Saghafi, S., Holmes, J., Cardeli, E., & Jobes, D. (2014, April). "Manipulative" vs. "genuine" suicidal risk: An examination of juvenile offenders. Paper presented at the 47th annual conference of the American Association of Suicidology, Los Angeles, CA.
- Motto, J. A. (1976). Suicide prevention for high-risk persons who refuse treatment. *Suicide and Life-Threatening Behavior*, 6, 223–230.

- Motto, J. A., & Bostrom, A. G. (2001). A randomized controlled trial of postcrisis suicide prevention. *Psychiatric Services*, 52, 828–833.
- Murray, H. A. (1938). *Explorations in personality*. New York: Oxford University Press.
- Nademin, E., Jobes, D. A., Downing, V., & Mann, R. (2005). *Reasons for living among college students: A comparison between suicidal and non-suicidal samples*. Unpublished manuscript, The Catholic University of America, Washington, DC.
- Najavits, L. M. (2002). *Seeking safety: A treatment manual for PTSD and substance abuse*. New York: Guilford Press.
- National Action Alliance: Clinical Care and Intervention Task Force. (2011). Suicide care in systems framework.
- National Alliance for the Mentally Ill. (2000, November 17). *Outpatient services experience big decline in availability according to new study* [Press release].
- National Alliance on Mental Illness (NAMI). (2014). Psychiatric hospitalization.
- Neacsiu, A. D., Rizvi, S. L., & Linehan, M. M. (2010). Dialectical behavior therapy skills use as a mediator and outcome of treatment for borderline personality disorder. *Behaviour Research and Therapy*, 48, 832–839.
- Nestoriuc, Y., Martin, A., Rief, W., & Andrasik, F. (2008). Biofeedback treatment for headache disorders: A comprehensive efficacy review. *Applied Psychophysiology and Biofeedback*, 33, 125–140.
- Nielsen, A. C., Alberdi, F., & Rosenbaum, B. (2011). Collaborative assessment and management of suicidality method shows effect. *Danish Medical Bulletin*, 58, A4300.
- Nock, M. K., & Dinakar, K. (2015, April). *Using advances in technology and computing to improve the understanding, prediction, and prevention of suicidal behavior*. Plenary presentation at the annual conference of the American Association of Suicidology, Atlanta, GA.
- Nock, M. K., Hwang, I., Sampson, N., Kessler, R. C., Angermeyer, M., Beautrais, A., et al. (2009). Cross-national analysis of the associations among mental disorders and suicidal behavior: Findings from the WHO World Mental Health Surveys. *PLoS Medicine*, 6, e1000123.
- Nock, M. K., Park, J. M., Finn, C. T., Deliberto, T. L., Dour, H. J., & Banaji, M. R. (2010). Measuring the suicidal mind implicit cognition predicts suicidal behavior. *Psychological Science*, 21, 511–517.
- Nock, M. K., & Prinstein, M. J. (2004). A functional approach to the assessment of self-mutilative behavior. *Journal of Consulting and Clinical Psychology*, 72, 885–890.
- O'Connor, R. C. (2011). Towards an Integrated Motivational-Volitional Model of Suicidal Behaviour. In R. C. O'Connor, S. Platt, & J. Gordon (Eds.), *International handbook of suicide prevention: Research, policy and practice* (pp. 181–198). Chichester, UK: Wiley-Blackwell.
- O'Connor, R. C., O'Connor, D. B., O'Connor, S. M., Smallwood, J., & Miles, J. (2004). Hopelessness, stress, perfectionism: The moderating effects of future thinking. *Cognitions and Emotions*, 18, 1099–1120.
- O'Connor, R. C., Smyth, R., Ferguson, E., Ryan, C., & Williams, J. M. G. (2013). Psychological processes and repeat suicidal behavior: A four-year prospective study. *Journal of Consulting and Clinical Psychology*, 81, 1137–1143.
- O'Connor, R. C., Smyth, R., & Williams, J. M. G. (2014). Intrapersonal positive future thinking predicts repeat suicide attempts in hospital-treated suicide attempters. *Journal of Consulting and Clinical Psychology*, 83, 169–176.
- O'Connor, S. S., Beebe, T. J., Jobes, D. A., Lineberry, T. W., & Conrad, A. K. (2012). The association between the K10 and suicidality: A cross-sectional analysis. *Comprehensive Psychiatry*, 53, 48–53.
- O'Connor, S. S., Brausch, A., Anderson, A. R., & Jobes, D. A. (2014). Applying the collaborative assessment and management of suicidality (CAMS) to suicidal adolescents. *International Journal of Behavioral Consultation and Therapy*, 9, 53–58.
- O'Connor, S. S., Comtois, K. A., Wang, J., Russo, J., Peterson, R., Lapping-Carr, L., et al. (2015). The development and implementation of a brief intervention for medically admitted suicide

- attempt survivors. *General Hospital Psychiatry*, 37, 427–433.
- O'Connor, S. S., Jobes, D. A., Comtois, K. A., Atkins, D. C., Janis, K., Chesson, C. E., et al. (2012). Identifying entrenched suicidal ideation following hospital discharge. *Suicide and Life-Threatening Behavior*, 42, 173–184.
- O'Connor, S., Jobes, D. A., Lineberry, T., & Bostwick, J. M. (2010). An investigation of emotional upset in suicidal inpatients. *Archives of Suicide Research*, 14, 35–43.
- O'Connor, S. S., Jobes, D. A., Yeargin, M. K., Fitzgerald, M., Rodriguez, V., Conrad, A. K., et al. (2012). A cross-sectional investigation of the suicidal spectrum: Typologies of suicidality based upon ambivalence about living and dying. *Comprehensive Psychiatry*, 53, 461–467.
- Ogrodniczuk, J. S., Joyce, A. S., & Piper, W. E. (2005). Strategies for reducing patient-initiated premature termination of psychotherapy. *Harvard Review of Psychiatry*, 13, 57–70.
- Olfson, M., Gameroff, M. J., Marcus, S. C., Greenberg, T., & Shaffer, D. (2005). National trends in hospitalization of youth with intentional self-inflicted injuries. *American Journal of Psychiatry*, 162, 1328–1335.
- Oordt, M., Jobes, D. A., Fonseca, V. P., & Schmidt, S. M. (2009). Training mental health professionals to assess and manage suicidal behavior: Can provider confidence and practice behaviors be altered? *Suicide and Life-Threatening Behavior*, 39, 21–32.
- Oordt, M., Jobes, D., Rudd, M., Fonseca, V., Russ, C., Stea, J., et al. (2005). Development of a clinical guide to enhance care for suicidal patients. *Professional Psychology: Research and Practice*, 36, 208–218.
- Orbach, I. (2001). Therapeutic empathy with the suicidal wish. *American Journal of Psychotherapy*, 55, 166–184.
- Overholser, J. C. (2005). Contemporary psychotherapy: Promoting personal responsibility for therapeutic change. *Journal of Contemporary Psychotherapy*, 35, 369–376.
- Owens, P. L., Muttter, R., & Stocks, C. (2010, July). Healthcare Cost and Utilization Project (HCUP) statistical brief #92: Mental health and substance abuse-related emergency department visits among adults, 2007.
- Patient Protection and Affordable Care Act (Public Law No: 111–148). (2010, March 23).
- Patterson, D. R., & Jensen, M. P. (2003). Hypnosis and clinical pain. *Psychological Bulletin*, 129, 495–521.
- Pennebaker, J. W., Chung, C. K., Ireland, M., Gonzales, A., & Booth, R. J. (2007). *The development and psychometric properties of LIWC2007*. Austin, TX: LIWC.net.
- Peterson, E. M. (2003). *Assessing suicide risk and predicting treatment outcomes: The role of suicide history, suicide status form qualitative responses, and response style*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Peterson, E. M., Luoma, J. B., & Dunne, E. (2002). Suicide survivors' perceptions of the treating clinician. *Suicide and Life-Threatening Behavior*, 32, 158–166.
- Piet, J., & Hougaard, E. (2011). The effect of mindfulness-based cognitive therapy for prevention of relapse in recurrent major depressive disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 31, 1032–1040.
- Pigeon, W. R., Britton, P. C., Ilgen, M. A., Chapman, B., & Conner, K. R. (2012). Sleep disturbance preceding suicide among veterans. *American Journal of Public Health*, 102, S93–S97.
- Pigeon, W. R., Pinquart, M., & Conner, K. (2012). Meta-analysis of sleep disturbance and suicidal thoughts and behaviors. *Journal of Clinical Psychiatry*, 73, 1160–1167.
- Pisani, A. R., Cross, W. F., & Gould, M. S. (2011). The assessment and management of suicide risk: State of workshop education. *Suicide and Life-Threatening Behavior*, 41, 255–276.
- Pistorello, J., & Jobes, D. (2014, September). *Feasibility of adaptive treatments for suicidal college students: A SMART design*. Paper presented at the Dialectical Behavior Therapy Strategic Planning Meeting sponsored by University of Washington, Seattle.
- Pompili, M., Innamorati, M., Szanto, K., Di Vittorio, C., Conwell, Y., Lester, D., et al. (2011). Life events

- as precipitants of suicide attempts among first-time suicide attempters, repeaters, and non-attempters. *Psychiatry Research*, 186(2), 300–305.
- Pope, K. S., & Tabachnik, B. G. (1993). Therapists' anger, fear, and sexual feelings: National survey of therapist responses, client characteristics, critical, formal complaints, and training. *Professional Psychology: Research and Practice*, 24, 142–152.
- Posner, K., Brown, G. K., Stanley, B., Brent, D. A., Yershova, K. V., Oquendo, M. A., et al. (2011). The Columbia–Suicide Severity Rating Scale: Initial validity and internal consistency findings from three multisite studies with adolescents and adults. *American Journal of Psychiatry*, 168, 1266–1277.
- Poston, J. M., & Hanson, W. E. (2010). Meta-analysis of psychological assessment as a therapeutic intervention. *Psychological Assessment*, 22, 203–212.
- Poulin, C., Shiner, B., Thompson, P., Vepstas, L., Young-Xu, Y., Goertzel, B., et al. (2014). Predicting the risk of suicide by analyzing the text of clinical notes. *PLoS ONE*, 9, e85733.
- Powers, M. B., Halpern, J. M., Ferenschak, M. P., Gillihan, S. J., & Foa, E. B. (2010). A meta-analytic review of prolonged exposure for posttraumatic stress disorder. *Clinical Psychology Review*, 30, 635–641.
- Price, R. B., Nock, M. K., Charney, D. S., & Mathew, S. J. (2009). Effects of intravenous ketamine on explicit and implicit measures of suicidality in treatment-resistant depression. *Biological Psychiatry*, 66, 522–526.
- Qin, P., & Nordentoft, M. (2005). Suicide risk in relation to psychiatric hospitalization: Evidence based on longitudinal registers. *Archives of General Psychiatry*, 62, 427–432.
- Randall, J. R., Rowe, B. H., Dong, K. A., Nock, M. K., & Colman, I. (2013). Assessment of self-harm risk using implicit thoughts. *Psychological Assessment*, 25, 714–721.
- Range, L. M., & Penton, S. R. (1994). Hope, hopelessness, and suicidality in college students. *Psychological Reports*, 75, 456–458.
- Resick, P. A., & Schnicke, M. K. (1992). Cognitive processing therapy for sexual assault victims. *Journal of Consulting and Clinical Psychology*, 60, 748–756.
- Ribeiro, J. D., Bender, T. W., Selby, E. A., Hames, J. L., & Joiner, T. E. (2011). Development and validation of a brief self-report measure of agitation: The brief agitation measure. *Journal of Personality Assessment*, 93, 597–604.
- Rice, R. E. (2002). *Assessing agentic and communal traits in suicidal outpatients: A potential model for predicting typologies, severity, and treatment outcome*. Unpublished doctoral dissertation, The Catholic University of America, Washington, DC.
- Roberts, A. R., Monferrari, I., & Yeager, K. R. (2008). Avoiding malpractice lawsuits by following risk assessment and suicide prevention guidelines. *Brief Treatment and Crisis Intervention*, 8, 5–14.
- Roemer, L., & Orsillo, S. M. (2009). *Mindfulness- and acceptance-based behavioral therapies in practice*. New York: Guilford Press.
- Rogers, C. R. (1957). The necessary and sufficient conditions of therapeutic personality change. *Journal of Consulting Psychology*, 21, 95–103.
- Romanowicz, M., O'Connor, S. S., Schak, K. M., Swintak, C. C., & Lineberry, T. W. (2013). Use of the Suicide Status Form-II to investigate correlates of suicide risk factors in psychiatrically hospitalized children and adolescents. *Journal of Affective Disorders*, 151, 467–473.
- Rosenberg, M., Davidson, L., Smith, J., Berman, A., Buzbe, H., Gantner, G., et al. (1988). Operational criteria for the determination of suicide. *Journal of Forensic Sciences*, 33, 1445–1456.
- Rotter, J. B., & Rafferty, J. E. (1950). *Manual for the Rotter Incomplete Sentence Blank, college form*. New York: Psychological Corporation.
- Rowe, J. L., Conwell, Y., Schulberg, H. C., & Bruce, M. L. (2006). Social support and suicidal ideation in older adults using home healthcare services. *American Journal of Geriatric Psychiatry*, 14, 758–766.
- Rudd, M. D. (2008). Suicide warning signs in clinical practice. *Current Psychiatry Reports*, 10, 87–90.
- Rudd, M. D., Berman, A. L., Joiner, T. E., Nock, M. K., Silverman, M. M., Mandrusiak, M., et al.

- (2006). Warning signs for suicide: Theory, research, and clinical applications. *Suicide and Life-Threatening Behavior*, 36, 255–262.
- Rudd, M. D., Bryan, C. J., Wertenberger, E. G., Peterson, A. L., Young-McCaughan, S., Mintz, J., et al. (2015). Brief cognitive-behavioral therapy effects on post-treatment suicide attempts in a military sample: Results of a randomized clinical trial with 2-year follow-up. *American Journal of Psychiatry*, 172, 441–449.
- Rudd, M., & Joiner, T. (1998). Relationships among suicide ideators, attempters, and multiples attempters in a young adult sample. *Journal of Abnormal Psychology*, 105, 541–550.
- Rudd, M. D., Joiner, T., Brown, G. K., Cukrowicz, K., Jobes, D. A., Silverman, M. M., et al. (2009). Informed consent with suicidal patients: Rethinking risks in (and out of) treatment. *Psychotherapy Theory, Research, Practice, Training*, 46, 459–468.
- Rudd, M. D., Joiner, T., Jobes, D. A., & King, C. A. (1999). Practice guidelines in the outpatient treatment of suicidality: An integration of science and a recognition of its limitations. *Professional Psychology: Research and Practice*, 30, 437–446.
- Rudd, M. D., Joiner, T., & Rajab, M. H. (2001). *Treating suicidal behavior: An effective, time-limited approach*. New York: Guilford Press.
- Rudd, M. D., Mandrusiak, M., & Joiner, T. (2006). The case against no-suicide contracts: The commitment to treatment statement as a practice alternative. *Journal of Clinical Psychology*, 62, 243–251.
- Saghafi, S., Monahan, M. F., Holmes, J., Cardeli, E., & Jobes, D. A. (2014, April). *The subjective experience of suicide among youth: A comparison between suicidal college students and incarcerated juvenile offenders*. Paper presented at the 47th annual conference of the American Association of Suicidology, Los Angeles, CA.
- Sakel, M. (1935). Schizophreniebehandlung mittels insulin-hypoglykämie sowie hypoglykämischer schock. *Weiner Medizinische Wochenschrift*, 84, 1211–1215.
- Sanna, L., Stuart, A. L., Pasco, J. A., Kotowicz, M. A., Berk, M., Girardi, P., et al. (2014). Suicidal ideation and physical illness: Does the link lie with depression? *Journal of Affective Disorders*, 152, 422–426.
- Schembari, B. C., & Jobes, D. A. (2015, June). *The cross-cultural applicability of American-based theories of suicide*. Paper presented at the Congress of the International Association for Suicide Prevention, Montreal, Quebec, Canada.
- Schembari, B. C., Jobes, D. A., & Horgan, R. (2016). Successful treatment of suicidal risk: What helped and what was internalized? *Crisis: Journal of Crisis Intervention and Suicide Prevention* [Epub ahead of print].
- Schilling, N., Harbauer, G., Andreae, A., & Haas, S. (2006, March). *Suicide risk assessment in inpatient crisis intervention*. Poster presented at the Fourth Aeschi Conference, Aeschi, Switzerland.
- Schubert, K., Jobes, D. A., Ballard, E., Kraft, T. L., Kerr, N. A., Hyland, C. A., et al. (2009, April). *Pre/post evaluations of CAMS-trained VA clinicians*. Poster presented at the annual meeting of the American Association of Suicidology, San Francisco, CA.
- Schwartz, A. J. (2011). Rate, relative risk, and method of suicide by students at 4-year colleges and universities in the United States, 2004–2005 through 2008–2009. *Suicide and Life-Threatening Behavior*, 41, 353–371.
- Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2012). *Mindfulness-based cognitive therapy for depression* (2nd ed.). New York: Guilford Press.
- Selaman, Z. M. H., Chartrand, H. K., Bolton, J. M., & Sareen, J. (2014). Which symptoms of post-traumatic stress disorder are associated with suicide attempts? *Journal of Anxiety Disorders*, 28, 246–251.
- Shafran, R., Clark, D. M., Fairburn, C. G., Arntz, A., Barlow, D. H., Ehlers, A., et al. (2009). Mind the gap: Improving the dissemination of CBT. *Behaviour Research and Therapy*, 47, 902–909.
- Shapiro, F. (1996). Eye movement desensitization and reprocessing (EMDR): Evaluation of controlled PTSD research. *Journal of Behavior Therapy and Experimental Psychiatry*, 27, 209–218.

- Shea, S. C. (1999). *The practical art of suicide assessment: A guide for mental health professionals and substance abuse counselors*. New York: Wiley.
- Sher, L. (2015). Suicide medical malpractice: An educational overview. *International Journal of Adolescent Medicine and Health*, 27, 203–206.
- Shneidman, E. S. (1985). *The definition of suicide*. New York: Wiley.
- Shneidman, E. S. (1987). A psychological approach to suicide. In G. R. Vanden Box & B. K. Bryant (Eds.), *Cataclysms, crises, and catastrophes: Psychology in action* (pp. 147–183). Washington, DC: American Psychological Association.
- Shneidman, E. S. (1988). Some reflections of a founder. *Suicide and Life-Threatening Behavior*, 18, 1–12.
- Shneidman, E. (1993). *Suicide as psychache: A clinical approach to self-destructive behavior*. Northvale, NJ: Aronson.
- Shneidman, E. S. (1998). *The suicidal mind*. Northfield, NJ: Aronson.
- Siepmann, M., Aykac, V., Unterdörfer, J., Petrowski, K., & Mueck-Weymann, M. (2008). A pilot study on the effects of heart rate variability biofeedback in patients with depression and in healthy subjects. *Applied Psychophysiology and Biofeedback*, 33, 195–201.
- Simon, G. E., Rutter, C. M., Peterson, D., Oliver, M., Whiteside, U., Operskalski, B., et al. (2013). Does response on the PHQ-9 depression questionnaire predict subsequent suicide attempt or suicide death? *Psychiatric Services*, 64, 1195–1202.
- Simon, T. R., & Crosby, A. E. (2000). Suicide planning among high school students who report attempting suicide. *Suicide and Life-Threatening Behavior*, 30, 213–221.
- Simon, T. R., Swann, A. C., Powell, K. E., Potter, L. B., Kresnow, M. J., & O'Carroll, P. W. (2002). Characteristics of impulsive suicide attempts and attempters. *Suicide and Life-Threatening Behavior*, 32, 49–59.
- Simpson, S., & Stacy, M. (2004). Avoiding the malpractice snare: Documenting suicide risk assessment. *Journal of Psychiatric Practice*, 10, 1–5.
- Slotema, C. W., Blom, D. J., Hoek, H. W., & Sommer, I. E. (2010). Should we expand the toolbox of psychiatric treatment methods to include repetitive transcranial magnetic stimulation (rTMS)? A meta-analysis of the efficacy of rTMS in psychiatric disorders. *Journal of Clinical Psychiatry*, 71, 873–884.
- Smith, A. R., Witte, T. K., Teale, N. E., King, S. L., Bender, T. W., & Joiner, T. E. (2008). Revisiting impulsivity in suicide: implications for civil liability of third parties. *Behavioral Sciences and the Law*, 26, 779–797.
- Smith, M. T., Edwards, R. R., Robinson, R. C., & Dworkin, R. H. (2004). Suicidal ideation, plans, and attempts in chronic pain patients: Factors associated with increased risk. *Pain*, 111, 201–208.
- Stack, S., & Scourfield, J. (2015). Recency of divorce, depression, and suicide risk. *Journal of Family Issues*, 36, 695–715.
- Stanley, B., & Brown, G. K. (2012). Safety planning intervention: A brief intervention to mitigate suicide risk. *Cognitive and Behavioral Practice*, 19, 256–264.
- Stefan, S. (2016). *Rational suicide, irrational laws*. New York: Oxford University Press.
- Stefansson, J., Nordström, P., & Jokinen, J. (2012). Suicide Intent Scale in the prediction of suicide. *Journal of Affective Disorders*, 136, 167–171.
- Stensland, M. D., Zhu, B., Ascher Svanum, H., & Ball, D. E. (2010). Costs associated with attempted suicide among individuals with bipolar disorder. *Journal of Mental Health Policy and Economics*, 13, 87–92.
- Stoffers, J. M., Völlm, B. A., Rücker, G., Timmer, A., Huband, N., & Lieb, K. (2012). Psychological therapies for people with borderline personality disorder. *Cochrane Database of Systematic Reviews*, CD005652(8), 1–186.
- Stranges, E., Levit, K., Stocks, C., & Santora, P. (2011, June). Healthcare Cost and Utilization Project (HCUP) statistical brief #117: State variation in inpatient hospitalizations for mental health and substance abuse conditions, 2002–2008.

- Street, R. L., Makoul, G., Arora, N. K., & Epstein, R. M. (2009). How does communication heal?: Pathways linking clinician-patient communication to health outcomes. *Patient Education and Counseling*, 74, 295-301.
- Stroebe, W. (2013). Firearm possession and violent death: A critical review. *Aggression and Violent Behavior*, 18, 709-721.
- Suarez-Balcazar, Y., Balcazar, F., Taylor-Ritzler, T., Portillo, N., Rodakowski, J., Garcia-Ramirez, M., et al. (2011). Development and validation of the cultural competence assessment instrument: A factorial analysis. *Journal of Rehabilitation*, 77, 1-11.
- Sublette, M. E., Galfalvy, H. C., Fuchs, D., Lapidus, M., Grunebaum, M. F., Oquendo, M. A., et al. (2011). Plasma kynurenine levels are elevated in suicide attempters with major depressive disorder. *Brain, Behavior, and Immunity*, 25, 1272-1278.
- Sveticic, J., & De Leo, D. (2012). The hypothesis of a continuum in suicidality: A discussion on its validity and practical implications. *Mental Illness*, 4, 73-78.
- Tang, J., Wu, S., & Miao, D. (2013). Experimental test of escape theory: Accessibility to implicit suicidal mind. *Suicide and Life-Threatening Behavior*, 43, 347-355.
- Tarescavage, A. M., & Ben-Porath, Y. S. (2014). Psychotherapeutic outcomes measures: A critical review for practitioners. *Journal of Clinical Psychology*, 70, 808-830.
- Tohen, M., Waternaux, C., & Oepen, G. (1994). One hundred years of schizophrenia: A meta-analysis of the outcome literature. *American Journal of Psychiatry*, 151, 1409-1416.
- Tondo, L., Hennen, J., & Baldessarini, R. J. (2001). Lower suicide risk with long-term lithium treatment in major affective illness: A meta-analysis. *Acta Psychiatrica Scandinavica*, 104, 163-172.
- Tucker, R. P., Crowley, K. J., Davidson, C. L., & Gutierrez, P. M. (2015). Risk factors, warning signs, and drivers of suicide: What are they, how do they differ, and why does it matter? *Suicide and Life-Threatening Behavior* [Epub ahead of print].
- Unsworth, G., Cowie, H., & Green, A. (2011). Therapist' and clients' perceptions of routine outcome measurement in the NHS: A qualitative study. *Counselling and Psychotherapy Research*, 12, 71-80.
- U.S. Department of Health and Human Services. (n.d.). Does depression increase the risk for suicide?
- U.S. Department of Health and Human Services. (1996). Health Insurance Portability and Accountability Act of 1996 (Public Law 104-191, 104th Congress). Retrieved March 25, 2015.
- Valenstein, E. S. (1986). *Great and desperate cures: The rise and decline of psychosurgery and other radical treatments for mental illness*. New York: Basic Books.
- Valenstein, M., Eisenberg, D., McCarthy, J. F., Austin, K. L., Ganoczy, D., Kim, H. M., et al. (2009). Service implications of providing intensive monitoring during high-risk periods for suicide among VA patients with depression. *Psychiatric Services*, 60, 439-444.
- Wagner, B. M., Wong, S. A., & Jobes, D. A. (2002). Mental health professionals' determinations of adolescent suicide attempts. *Suicide and Life-Threatening Behavior*, 32, 284-300.
- Walsh, B. W. (2014). *Treating self-injury: A practical guide* (2nd ed.). New York: Guilford Press.
- Weinstein, M. J. (2002). *Psychotherapy progress of suicidal students at the Johns Hopkins University Counseling and Student Development Center*. Unpublished doctoral dissertation, Chicago School of Professional Psychology, Chicago, IL.
- Wenzel, A., Brown, G. K., & Beck, A. T. (2009). *Cognitive therapy for suicidal patients: Scientific and clinical applications*. Washington, DC: American Psychological Association.
- Wilcox, H. C., Conner, K. R., & Caine, E. D. (2004). Association of alcohol and drug use disorders and completed suicide: An empirical review of cohort studies. *Drug and Alcohol Dependence*, 76, S11-S19.
- Williams, M. (2001). *Suicide and attempted suicide*. London: Penguin.
- Wingate, L. R., Joiner, T. E., Walker, R. L., Rudd, M. D., & Jobes, D. A. (2004). Empirically informed approaches to topics in suicide risk assessment. *Behavioral Science and Law*, 22, 1-15.

- Winsper, C., & Tang, N. K. Y. (2014). Linkages between insomnia and suicidality: Prospective associations, high-risk subgroups and possible psychological mechanisms. *International Review of Psychiatry*, 26, 189–204.
- Wise, T. L., Jobes, D. A., Simpson, S., & Berman, A. L. (2005, April). *Suicidal client and clinician: Approach or avoidance*. Panel presentation at the annual conference of the American Association of Suicidology, Denver, CO.
- World Health Organization. (1992). *International classification of diseases, 10th revision (ICD-10)*. Geneva: Author.
- Yanez, D. C. (2015, February). *Effective suicide care: Evidence-based treatments*. Suicide Prevention Resource Center, Zero Suicide webinar presentation.
- Yang, B., & Lester, D. (2007). Recalculating the economic cost of suicide. *Death Studies*, 31, 351–361.
- Younes, N., Melchior, M., Turbelin, C., Blanchon, T., Hanslik, T., & Chee, C. C. (2015). Attempted and completed suicide in primary care: Not what we expected? *Journal of Affective Disorders*, 170, 150–154.
- Zimbardo, P. G., & Boyd, J. N. (1999). Putting time in perspective: A valid, reliable individual-differences metric. *Journal of Personality and Social Psychology*, 77, 1271–1288.
- Zisook, S., Lesser, I. M., Lebowitz, B., Rush, A., Kallenberg, G., Wisniewski, S. R., et al. (2011). Effect of antidepressant medication treatment on suicidal ideation and behavior in a randomized trial: An exploratory report from the Combining Medications to Enhance Depression Outcomes Study. *Journal of Clinical Psychiatry*, 72, 1322–1332.