

REFERENCES

- Adams, D. M., & Overholser, J. C. (1992). Suicidal behavior and history of substance abuse. *The American Journal of Drug and Alcohol Abuse*, 18, 343–354.
- Addis, M. E., & Jacobson, N. S. (2000). A closer look at the treatment rationale and homework compliance in cognitive-behavioral therapy for depression. *Cognitive Therapy and Research*, 24, 313–326.
- Agency for Health Care Policy & Research. (1999). *Evidence report on treatment of depression: Newer pharmacotherapies*. Washington, DC: AHCPR Evidence-Based Practice Centers.
- Aharonovich, E., Liu, X., Nunes, E., & Hasin, D. S. (2002). Suicide attempts in substance abusers: Effects of major depression in relation to substance use disorders. *American Journal of Psychiatry*, 159, 1600–1602.
- Alexopoulos, G. S., Bruce, M. L., Hull, J., Sirey, J. A., & Kakuma, T. (1999). Clinical determinants of suicidal ideation and behavior in geriatric depression. *Archives of General Psychiatry*, 11, 1048–1053.
- Allard, R., Marshall, M., & Plante, M. (1992). Intensive follow-up does not decrease the risk of repeat suicide attempts. *Suicide and Life-Threatening Behavior*, 22, 303–314.
- Allebeck, P., & Allgulander, C. (1990). Psychiatric diagnoses as predictors of suicide: A comparison of diagnoses at conscription and in psychiatric care in a cohort of 50,465 young men. *British Journal of Psychiatry*, 157, 339–344.
- American Psychiatric Association. (2003). *Practice guideline for the assessment and treatment of patients with suicidal behaviors*. Washington, DC: Author.
- American Psychological Association. (2002). Ethical principles of psychologists and code of conduct. *American Psychologist*, 57, 1060–1073.
- Anderson, P. S., Tiro, J. A., Price, A. W., Bender, M. A., & Kaslow, N. J. (2002). Additive impact of childhood emotional, physical, and sexual abuse on suicide attempts among low-income African-American women. *Suicide and Life-Threatening Behavior*, 32, 131–138.
- Andréasson, S., & Romelsjö, A. (1988). Alcohol and mortality among young men: A longitudinal study of Swedish conscripts. *Scandinavian Journal of Social Medicine*, 18, 9–15.
- Andrews, J. A., & Lewinsohn, P. M. (1992). Suicide attempts among older adolescents: Prevalence and co-occurrence with psychiatric disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 31, 665–662.
- Andriessen, K. (2006). On “intention” in the definition of suicide. *Suicide and Life-Threatening Behavior*, 36, 533–538.
- Apter, A., Gothelf, D., Orbach, I., Weizman, R., Ratzoni, G., Har-Even, D., et al. (1995). Correlation of suicidal and violent behavior in different diagnostic categories in hospitalized adolescent patients. *Journal of the American Academy of Child & Adolescent Psychiatry*, 34, 912–918.

- Arensman, E., Townsend, E., Hawton, K., Bremner, S., Feldman, E., Goldney, R., et al. (2001). Psychosocial and pharmacological treatment of patients following deliberate self-harm: The methodological issues involved in evaluating effectiveness. *Suicide and Life-Threatening Behavior*, 31, 169–180.
- Asarnow, J. R., Carlson, G. A., & Guthrie, D. (1987). Coping strategies, self-perceptions, hopelessness, and perceived family functioning in depressed and suicidal children. *Journal of Consulting and Clinical Psychology*, 55, 361–366.
- Asarnow, J. R., & Guthrie, D. (1989). Suicidal behavior, depression, and hopelessness in child psychiatric inpatients: A replication and extension. *Journal of Child Clinical Psychology*, 18, 129–136.
- Asnis, G. M., Kaplan, M. L., van Praag, H. M., & Sanderson, W. C. (1994). Homicidal behaviors among psychiatric outpatients. *Hospital Community Psychiatry*, 45, 127–132.
- Babor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *The Alcohol Use Disorders Identification Test: Guidelines for use in primary care*. Geneva, Switzerland: World Health Organization.
- Baca-Garcia, E., Diaz-Sastre, C., Garcia Resa, E., Blasco, H., Braquehais Conesa, D., Oquendo, M. A., et al. (2005). Suicide attempts and impulsivity. *European Archives of Psychiatry and Clinical Neuroscience*, 255, 152–156.
- Barracough, B. M. (1971). Suicide in the elderly: Recent developments in psychogeriatrics. *British Journal of Psychiatry*, (Suppl. 6), 87–97.
- Barratt, E. S. (1959). Anxiety and impulsiveness related to psychomotor efficiency. *Perceptual and Motor Skills*, 9, 191–198.
- Barratt, E. S. (1985). Impulsiveness subtraits: Arousal and information processing. In J. T. Spence & C. E. Izard (Eds.), *Motivation, emotion, and personality* (pp. 137–146). Amsterdam: North Holland/Elsevier Science.
- Bateman, A., & Fonagy, P. (1999). Effectiveness of partial hospitalization in the treatment of borderline personality disorder: A randomized controlled trial. *American Journal of Psychiatry*, 156, 1563–1569.
- Baumeister, R. F. (1990). Suicide as escape from self. *Psychological Review*, 97, 90–113.
- Beautrais, A. L. (2001). Subsequent mortality in medically serious suicide attempts: A 5 year follow-up. *Australian and New Zealand Journal of Psychiatry*, 37, 595–599.
- Beautrais, A. L. (2002). A case control study of suicide and attempted suicide in older adults. *Suicide and Life-Threatening Behavior*, 32, 1–9.
- Beautrais, A. L., Joyce, P. R., Mulder, R. T., Fergusson, D. M., Deavoll, B. J., & Nightengale, S. K. (1996). Prevalence and comorbidity of mental disorders in persons making serious suicide attempts: A case-control study. *American Journal of Psychiatry*, 153, 1009–1014.
- Beck, A. T. (1967). *Depression: Causes and treatment*. Philadelphia: University of Pennsylvania Press.
- Beck, A. T. (1986). Hopelessness as a predictor of eventual suicide. In J. J. Mann & M. Stanley (Eds.), *Annals of the New York Academy of Sciences: Vol. 487. Psychology and suicidal behavior* (pp. 90–96). New York: New York Academy of Sciences.

- Beck, A. T. (1988). Cognitive approaches to panic disorder: Theory and therapy. In S. Rachman & J. D. Maser (Eds.), *Panic: Psychological perspectives* (pp. 91–109). Hillsdale, NJ: Erlbaum.
- Beck, A. T. (1996). Beyond belief: A theory of modes, personality, and psychopathology. In P. Salkovskis (Ed.), *Frontiers of cognitive therapy* (pp. 1–25). New York: Guilford Press.
- Beck, A. T., Beck, R., & Kovacs, M. (1975). Classification of suicidal behaviors: I. Quantifying intent and medical lethality. *American Journal of Psychiatry*, 132, 285–287.
- Beck, A. T., & Bhar, S. S. (in press). Cognitive processes in borderline personality disorder. *Clinical Neuroscience Research*.
- Beck, A. T., Brown, G., Berchick, R. J., Stewart, B. L., & Steer, R. A. (1990). Relationship between hopelessness and ultimate suicide: A replication with psychiatric outpatients. *American Journal of Psychiatry*, 147, 190–195.
- Beck, A. T., Brown, G. K., & Steer, R. A. (1997). Psychometric characteristics of the Scale for Suicide Ideation with psychiatric outpatients. *Behaviour Research and Therapy*, 35, 1039–1046.
- Beck, A. T., Brown, G. K., Steer, R. A., Dahlsgaard, K. K., & Grisham, J. R. (1999). Suicide ideation at its worst point: A predictor of eventual suicide in psychiatric outpatients. *Suicide and Life-Threatening Behavior*, 29, 1–9.
- Beck, A. T., Davis, J. H., Frederick, C. J., Perlin, S., Pokorny, A., Schulman, R., et al. (1972). Classification and nomenclature. In H. L. P. Resnik & B. Hathorne (Eds.), *Suicide prevention in the seventies* (pp. 7–12). Washington, DC: U.S. Government Printing Office.
- Beck, A. T., & Emery, G. (1985). *Anxiety disorders and phobias: A cognitive perspective*. New York: Basic Books.
- Beck, A. T., Freeman, A., Davis, D. D., & Associates (2004). *Cognitive therapy of personality disorders* (2nd ed.). New York: Guilford Press.
- Beck, A. T., & Greenberg, R. L. (1974). *Coping with depression*. New York: Institute for Rational Living.
- Beck, A. T., Kovacs, M., & Weissman, A. (1975, December 15). Hopelessness and suicidal behavior: An overview. *JAMA*, 234, 1146–1149.
- Beck, A. T., Kovacs, M., & Weissman, A. (1979). Assessment of suicidal intention: The Scale for Suicide Ideation. *Journal of Consulting and Clinical Psychology*, 47, 343–352.
- Beck, A. T., & Lester, D. (1976). Components of suicidal intent in completed and attempted suicides. *Journal of Psychology*, 92, 35–38.
- Beck, A. T., Resnik, H. L., & Lettieri, D. J. (Eds.). (1974). *The prediction of suicide*. Bowie, MD: Charles Press.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Beck, A. T., Schuyler, D., & Herman, I. (1974). Development of suicidal intent scales. In T. Beck, H. L. Resnik, & D. J. Lettieri (Eds.), *The prediction of suicide* (pp. 45–56). Bowie, MD: Charles Press.

- Beck, A. T., & Steer, R. A. (1988). *Manual for the Beck Hopelessness Scale*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., & Steer, R. A. (1989). Clinical predictors of eventual suicide: A five to ten year prospective study of suicide attempters. *Journal of Affective Disorders*, 17, 203–209.
- Beck, A. T., & Steer, R. A. (1991). *Manual for the Beck Scale for Suicide Ideation*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., Beck, J. S., & Newman, C. F. (1993). Hopelessness, depression, suicidal ideation, and clinical diagnosis of depression. *Suicide and Life-Threatening Behavior*, 23, 139–145.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Manual for Beck Depression Inventory—II*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., Kovacs, M., & Garrison, B. (1985). Hopelessness and eventual suicide: A 10-year prospective study of patients hospitalized with suicidal ideation. *American Journal of Psychiatry*, 142, 559–563.
- Beck, A. T., Steer, R. A., & McElroy, M. G. (1982). Relationships of hopelessness, depression, and previous suicide attempts to suicidal ideation in alcoholics. *Journal of Studies on Alcohol*, 43, 1042–1046.
- Beck, A. T., Steer, R. A., & Ranieri, W. (1998). Scale for Suicide Ideation: Psychometric properties of a self-report version. *Journal of Clinical Psychology*, 44, 499–505.
- Beck, A. T., Steer, R. A., Sanderson, W. C., & Skeie, T. M. (1991). Panic disorder and suicidal ideation and behavior: Discrepant findings in psychiatric outpatients. *American Journal of Psychiatry*, 148, 1195–1199.
- Beck, A. T., Weissman, A., & Kovacs, M. (1976). Alcoholism, hopelessness, and suicidal behavior. *Journal of Studies on Alcohol*, 37, 66–77.
- Beck, A. T., Weissman, A., Lester, D., & Trexler, L. (1974). The measurement of pessimism: The Hopelessness scale. *Journal of Consulting and Clinical Psychology*, 42, 861–865.
- Beck, A. T., Weissman, A., Lester, D., & Trexler, L. (1976). Classification of suicidal behaviors: II. Dimensions of suicidal intent. *Archives of General Psychiatry*, 33, 835–837.
- Beck, A. T., Wright, F. D., Newman, C. F., & Liese, B. S. (1993). *Cognitive therapy of substance abuse*. New York: Guilford Press.
- Beck, J. S. (1995). *Cognitive therapy: Basics and beyond*. New York: Guilford Press.
- Beck, R. W., Morris, J. B., & Beck, A. T. (1974). Cross-validation of the Suicidal Intent Scale. *Psychological Reports*, 34, 445–446.
- Becker, E. S., Strohbach, D., & Rinck, M. (1999). A specific attentional bias in suicide attempters. *The Journal of Nervous and Mental Disease*, 187, 730–735.
- Bedrosian, R. C., & Beck, A. T. (1979). Cognitive aspects of suicidal behavior. *Suicide and Life-Threatening Behavior*, 2, 87–96.
- Begg, C., Cho, M., Eastwood, S., Horton, R., Moher, D., Olkin, I., et al. (1996, August 28). Improving the quality of reporting of randomized controlled trials: The CONSORT statement. *JAMA*, 276, 637–639.

- Bennewith, O., Stocks, N., Gunnell, D., Peters, T. J., Evans, M. O., & Sharp, D. J. (2002). General practice based intervention to prevent repeat episodes of deliberate self harm: Cluster randomised controlled trial. *British Medical Journal*, 324, 1254–1257.
- Bensley, L., Van Eenwyk, J., Spieker, S., & Schoder, J. (1999). Self-reported abuse history and adolescent behavior problems: I. Antisocial and suicidal behaviors. *Journal of Adolescent Health*, 24, 163–172.
- Berk, M. S., Henriques, G. R., Warman, D. M., Brown, G. K., & Beck, A. T. (2004). A cognitive therapy intervention for suicide attempters: An overview of the treatment and case examples. *Cognitive and Behavioral Practice*, 11, 265–277.
- Berman, A. L., Jobes, D. A., & Silverman, M. M. (2006). *Adolescent suicide: Assessment and intervention* (2nd ed.). Washington, DC: American Psychological Association.
- Bertolote, J. M., Fleischmann, A., De Leo, D., & Wasserman, D. (2003). Suicide and mental disorders: Do we know enough? *British Journal of Psychiatry*, 183, 382–383.
- Best, D., Gossop, M., Man, L.-H., Finch, E., Greenwood, J., & Strang, J. (2000). Accidental and deliberate overdose among opiate addicts in methadone maintenance treatment: Are deliberate overdoses systematically different? *Drug and Alcohol Review*, 19, 213–216.
- Blumenthal, S., Bell, V., Neumann, N. U., Schuttler, R., & Vogel, R. (1989). Mortality and rate of suicide of first admission psychiatric patients: A 5-year follow-up of a prospective longitudinal study. *Psychopathology*, 22, 50–56.
- Boergers, J., & Spirito, A. (2003). The outcome of suicide attempts among adolescents. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 261–276). New York: Academic Press.
- Boergers, J., Spirito, A., & Donaldson, D. (1998). Reasons for adolescent suicide attempts: Associations with psychological functioning. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37, 277–286.
- Bondy, B., Buettner, A., & Zill, P. (2006). Genetics of suicide. *Molecular Psychiatry*, 11, 336–351.
- Bongar, B., Maris, R. W., Berman, A. C., & Litman, R. E. (1992). Outpatient standards of care and the suicidal patient. *Suicide and Life-Threatening Behavior*, 22, 453–478.
- Borowsky, I., Resnick, M., Ireland, M., & Blum, R. (1990). Suicide attempts among American Indian and Alaska Native youth. *Archives of Pediatrics & Adolescent Medicine*, 153, 573–580.
- Bostwick, J. M., & Pankrantz, V. S. (2000). Affective disorders and suicide risk: A reexamination. *American Journal of Psychiatry*, 141, 206–209.
- Brent, D. A. (1987). Correlates of the medical lethality of suicide attempts in children and adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 26, 87–89.

- Brent, D. A., Baugher, M., Bridge, J., Chen, T., & Chiappetta, L. (1999). Age- and sex-related risk factors for adolescent suicide. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38, 1497–1505.
- Brent, D. A., Kerr, M. M., Goldstein, C., Bozigar, J., Wartella, M. E., & Allan, M. J. (1989). An outbreak of suicide and suicidal behavior in high school. *Journal of the American Academy of Child & Adolescent Psychiatry*, 32, 521–529.
- Brent, D. A., & Mann, J. J. (2005). Family genetic studies, suicide, and suicidal behavior. *American Journal of Medical Genetics Part C: Seminars in Medical Genetics*, 133C, 13–24.
- Brent, D. A., Oquendo, M., Birmaher, B., Greenhill, L., Kolko, D., Stanley, B., et al. (2002). Familial pathways to early-onset suicide attempt: Risk for suicidal behavior in offspring of mood-disordered suicide attempters. *Archives of General Psychiatry*, 59, 801–807.
- Brent, D. A., Perper, J. A., Goldstein, C. E., Kolko, D. J., Allan, M. J., Allman, C. J., et al. (1988). Risk factors for adolescent suicide: A comparison of adolescent suicide victims with suicidal inpatients. *Archives of General Psychiatry*, 45, 581–588.
- Brent, D. A., Perper, J. A., Moritz, G., Baugher, M., Roth, C., Barach, L., et al. (1993). Familial risk factors for adolescent suicide: A case control study. *Acta Psychiatrica Scandinavica*, 89, 52–58.
- Brown, G. K. (2002). *A review of suicide assessment measures for intervention research in adults and older adults* (Technical report submitted to the National Institutes of Mental Health under Contract No. 263-MH914950). Bethesda, MD: National Institute of Mental Health.
- Brown, G. K., Beck, A. T., Steer, R. A., & Grisham, J. R. (2000). Risk factors for suicide in psychiatric outpatients: A 20-year prospective study. *Journal of Consulting and Clinical Psychology*, 68, 371–377.
- Brown, G. K., Bruce, M. L., Pearson, J. L., & PROSPECT Study Group. (2001). High risk management for elderly suicidal patients in primary care. *International Journal of Geriatric Psychiatry*, 16, 593–601.
- Brown, G. K., Henriques, G. R., Ratto, C., & Beck, A. T. (2002). *Cognitive therapy treatment manual for suicide attempters*. Unpublished manuscript, University of Pennsylvania, Philadelphia.
- Brown, G. K., Henriques, G. R., Sosdjan, D., & Beck, A. T. (2004). Suicide intent and accurate expectations of lethality: Predictors of medical lethality of suicide attempts. *Journal of Consulting and Clinical Psychology*, 72, 1170–1174.
- Brown, G. K., Jeglic, E., Henriques, G. R., & Beck, A. T. (2006). Cognitive therapy, cognition, and suicidal behavior. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 53–74). Washington, DC: American Psychological Association.
- Brown, G. K., Steer, R. A., Henriques, G. R., & Beck, A. T. (2005). The internal struggle between the wish to die and the wish to live: A risk factor for suicide. *American Journal of Psychiatry*, 162, 1977–1979.

- Brown, G. K., Tenhave, T., Henriques, G. R., Xie, S. X., Hollander, J. E., & Beck, A. T. (2005, August 3). Cognitive therapy for the prevention of suicide attempts: A randomized controlled trial. *JAMA*, 294, 563–570.
- Brown, J., Cohen, P., Johnson, J., & Smailes, E. M. (1999). Childhood abuse and neglect: Specificity of effects on adolescent and young adult depression and suicidality. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38, 1490–1496.
- Bruce, M. L., Tenhave, T. R., Reynolds, C. F., Katz, K. I., Schulberg, H. C., Mulsant, B. H., et al. (2004, September 1). Reducing suicidal ideation and depressive symptoms in depressed older primary care patients: A randomized controlled trial. *JAMA*, 292, 1081–1091.
- Buda, M., & Tsuang, M. T. (1990). The epidemiology of suicide: Implications for clinical practice. In S. J. Blumenthal & D. J. Kupfer (Eds.), *Suicide over the life cycle: Risk factors, assessment, and treatment of suicidal patients* (pp. 17–37). Washington, DC: American Psychiatric Press.
- Burdick, K. E., Endick, C. J., & Goldberg, J. F. (2005). Assessing cognitive deficits in bipolar disorder: Are self reports valid? *Psychiatry Research*, 136, 43–50.
- Burns, D. D. (1980). *Feeling good: The new mood therapy*. New York: Signet.
- Busch, K. A., Clark, D. C., & Fawcett, J. (1993). Clinical features of inpatient suicide. *Psychiatric Annals*, 23, 256–262.
- Busch, K. A., Fawcett, J., & Jacobs, D. G. (2003). Clinical correlates of inpatient suicide. *Journal of Clinical Psychiatry*, 64, 14–19.
- Byrne, G. J., & Raphael, B. (1999). Depressive symptoms and depressive episodes in recently widowed older men. *International Psychogeriatrics*, 11, 67–74.
- Caldwell, C. E., & Gottesman, I. I. (1990). Schizophrenics kill themselves too: A review of risk factors for suicide. *Schizophrenia Bulletin*, 16, 571–589.
- Campbell, J. M. (1992). Treating depression in well older adults: Use of diaries in cognitive therapy. *Issues of Mental Health Nursing*, 13, 19–29.
- Cantor, C. H., & Slater, P. J. (1995). Marital breakdown, parenthood, and suicide. *Journal of Family Studies*, 1, 91–102.
- Carr, D. S., Nesse, R. M., & Wortman, C. B. (Eds.). (2005). *Spousal bereavement in late life*. New York: Springer Publishing Company.
- Carter, G. L., Clover, K., Whyte, I. M., Dawson, A. H., & D'Este, C. (2005). Postcards from the EDge project: Randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. *British Medical Journal*, 331, 805–809.
- Carter, G., Reith, D. M., Whyte, I. M., & McPherson, M. (2005). Repeated self-poisoning: Increasing severity of self-harm as a predictor of subsequent suicide. *British Journal of Psychiatry*, 186, 253–257.
- CBT TASA Team. (2008). *Cognitive behavioral therapy for adolescent suicide attempters teen manual*. Unpublished manuscript, National Institute of Mental Health.
- Cedereke, M., Monti, K., & Ojehagen, A. (2002). Telephone contact with patients in the year after a suicide attempt: Does it affect treatment attendance and outcome? A randomized controlled study. *European Psychiatry*, 17, 82–91.

- Centers for Disease Control and Prevention. (2008). *Web-Based Injury Statistics Query and Reporting System (WISQARS)*. Retrieved February 26, 2008, from Centers for Disease Control and Prevention, National Center for Injury and Prevention Control Web site: <http://www.cdc.gov/ncipc/WISQARS>
- Chemtob, C. M., Bauer, G. B., Hamada, R. S., Pelowski, S. R., & Muraoka, M. Y. (1989). Patient suicide: Occupational hazard for psychologists and psychiatrists. *Professional Psychology: Research and Practice*, 20, 294–300.
- Chen, Y.-W., & Dilsaver, S. C. (1996). Lifetime rates of suicide attempts among subjects with bipolar and unipolar disorders relative to subjects with other axis I disorders. *Biological Psychiatry*, 39, 896–899.
- Cheng, A. T., Chen, T. H., Chen, C. C., & Jenkins, R. (2000). Psychological and psychiatric risk factors for suicide: Case control psychological autopsy study. *British Journal of Psychiatry*, 177, 360–365.
- Chowdhury, N., Hicks, R. C., & Kreitman, N. (1973). Evaluation of an after-care service for parasuicide (attempted suicide) patients. *Social Psychiatry*, 8, 67–81.
- Clark, D. A., & Beck, A. T. (1999). *Scientific foundations of cognitive theory and therapy of depression*. New York: Wiley.
- Clark, D. C., & Horton-Deutsch, S. L. (1992). Assessment in absentia: The value of the psychological autopsy method for studying antecedents of suicide and predicting future suicides. In R. W. Maris, A. L. Berman, J. T. Maltzberger, & R. I. Yufit (Eds.), *Assessment and prediction of suicide* (pp. 145–181). New York: Guilford Press.
- Clum, G. A., & Curtin, L. (1993). Validity and reactivity of a system of self-monitoring suicide ideation. *Journal of Psychopathology and Behavioral Assessment*, 15, 375–385.
- Clum, G. A., & Febbraro, G. A. R. (2004). Social problem solving and suicide risk. In E. C. Chang, T. J. D'Zurilla, & L. J. Sanna (Eds.), *Social problem solving: Theory, research, and training* (pp. 67–82). Washington, DC: American Psychological Association.
- Cohen-Sandler, R., Berman, A. L., & King, R. A. (1982). Life stress and symptomatology: Determinants of suicidal behavior in children. *Journal of the American Academy for Child & Adolescent Psychiatry*, 21, 178–196.
- Collins, J. M. (2003). Impact of a patient suicide on clinicians. *Journal of the American Psychiatric Nurses' Association*, 9, 159–162.
- Comtois, K. A., & Linehan, M. M. (2006). Psychosocial treatments of suicidal behaviors: A practice-friendly review. *Journal of Clinical Psychology: In Session*, 62, 161–170.
- Conner, K. R., Beautrais, A. L., & Conwell, Y. (2003). Moderators of the relationship between alcohol dependence and suicide and medically serious suicide attempts: Analyses of the Canterbury Suicide Project Data. *Alcoholism: Clinical and Experimental Research*, 27, 1156–1161.
- Conner, K. R., Duberstein, P. R., Conwell, Y., & Caine, E. D. (2003). Reactive aggression and suicide: Theory and evidence. *Aggression and Violent Behavior*, 8, 413–432.

- Conwell, Y. (2001). Suicide in later life: A review and recommendations for prevention. *Suicide and Life-Threatening Behavior*, 31, 32–47.
- Conwell, Y., & Brent, D. (1995). Suicide and aging I: Patterns of psychiatric diagnosis. *International Psychogeriatrics*, 7, 149–164.
- Conwell, Y., Duberstein, P. R., & Caine, E. D. (2002). Risk factors for suicide in later life. *Biological Psychiatry*, 52, 193–204.
- Conwell, Y., Duberstein, P. R., Cox, C., Herrmann, J. H., Forbes, N. T., & Caine, E. D. (1996). Relationships of age and Axis I diagnoses in victims of completed suicide: A psychological autopsy study. *American Journal of Psychiatry*, 153, 1001–1008.
- Conwell, Y., Duberstein, P. R., Cox, C., Herrmann, J. H., Forbes, N. T., & Caine, E. D. (1998). Age differences in behaviors leading to completed suicide. *American Journal of Geriatric Psychiatry*, 6, 122–126.
- Cornelius, J. R., Salloum, I. M., Day, N. L., Thase, M. E., & Mann, J. J. (1996). Patterns of suicidality and alcohol use in alcoholics with major depression. *Alcoholism: Clinical and Experimental Research*, 20, 1451–1455.
- Cotgrove, A., Zirinsky, L., Black, D., & Weston, D. (1995). Secondary prevention of attempted suicide in adolescence. *Journal of Adolescence*, 18, 569–577.
- Crits-Christoph, P., Siqueland, L., Blaine, J., Frank, A., Luborsky, L., Onken, L. S., et al. (1999). Psychosocial treatments for cocaine dependence: National Institute on Drug Abuse Collaborative Cocaine Treatment Study. *Archives of General Psychiatry*, 56, 493–502.
- Crosby, A. (2007, April). *Development of uniform definitions for self-directed violence surveillance*. Meeting conducted in New Orleans, Louisiana, Etiology and Surveillance Branch, Division of Violence Prevention, National Center for Injury Prevention and Control, Centers for Disease Control and Prevention.
- Crumley, F. E. (1990, June 13). Substance abuse and adolescent suicidal behavior. *JAMA*, 263, 3051–3056.
- Curry, J. F., Wells, K. C., Brent, D. A., Clarke, G. N., Rohde, P., Albano, A. M., et al. (2005). *Treatment for Adolescents With Depression Study (TADS) cognitive behavior therapy manual: Introduction, rationale, and adolescent sessions*. Unpublished manuscript, Duke University Medical Center. Retrieved January 31, 2007, from https://trialweb.dcri.duke.edu/tads/tad/manuals/TADS_CBT.pdf
- Dahlsgaard, K. K., Beck, A. T., & Brown, G. K. (1998). Inadequate response to therapy as a predictor of suicide. *Suicide and Life-Threatening Behavior*, 28, 197–204.
- Darke, S., & Ross, J. (1997). Polydrug dependence and psychiatric comorbidity among heroin injectors. *Drug and Alcohol Dependence*, 48, 135–141.
- Darke, S., & Ross, J. (2001). The relationship between suicide and heroin overdose among methadone maintenance patients in Sydney, Australia. *Addiction*, 96, 1443–1453.
- Darke, S., & Ross, J. (2002). Suicide among heroin users: Rates, risk factors, and methods. *Addiction*, 97, 1383–1394.

- Darke, S., Ross, J., Lynskey, M., & Teesson, M. (2004). Attempted suicide among entrants to three treatment modalities in the Australian Treatment Outcome Study (ATOS): Prevalence and risk factors. *Drug and Alcohol Dependence*, 73, 1–10.
- Darke, S., Ross, J., Williamson, A., Mills, K. L., Havard, A., & Teesson, M. (2007). Patterns and correlates of attempted suicide by heroin users over a 3-year period: Findings from the Australian treatment study. *Drug and Alcohol Dependence*, 87, 146–152.
- Darke, S., Williamson, A., Ross, J., & Teesson, M. (2005). Attempted suicide among heroin users: 12-month outcomes from the Australian Treatment Outcome Study (ATOS). *Drug and Alcohol Dependence*, 78, 177–186.
- Dean, P. J., Range, L. M., & Goggin, W. C. (1996). The escape theory of suicide in college students: Testing a model that includes perfectionism. *Suicide and Life-Threatening Behavior*, 26, 181–186.
- De Leo, D., Padoani, W., Lönnqvist, J., Kerkhof, A. J. F. M., Bille-Brahe, U., Salander-Renberg, E., et al. (2002). Repetition of suicidal behaviour in elderly Europeans: A prospective longitudinal study. *Journal of Affective Disorders*, 72, 291–295.
- de Man, A. F., & Leduc, C. P. (1994). Validity and reliability of a self-report suicide ideation scale for use with adolescents. *Social Behavior and Personality*, 22, 261–266.
- Denning, D. G., Conwell, Y., King, D., & Cox, C. (2000). Method choice, intent, and gender in completed suicide. *Suicide and Life-Threatening Behavior*, 30, 282–288.
- DiFilippo, J. M., Esposito, C., Overholser, J., & Spirito, A. (2003). High-risk populations. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 229–259). New York: Academic Press.
- Dixon, W., Heppner, P., & Anderson, W. (1991). Problem-solving appraisal, stress, hopelessness, and suicide ideation in a college population. *Journal of Counseling Psychology*, 38, 51–56.
- Dombrovski, A. Y., Szanto, K., & Reynolds, C. F. (2005). Epidemiology and risk factors for suicide in the elderly: 10-year update. *Aging Health*, 1, 135–145.
- Donaldson, D., Spirito, A., & Esposito-Smythers, C. (2005). Treatment for adolescents following a suicide attempt: Results of a pilot trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 44, 113–120.
- Dougherty, D. M., Mathias, C. W., Marsh, D. M., Papageorgiou, T. D., Swann, A. C., & Moeller, F. G. (2004). Laboratory measured behavioral impulsivity relates to suicide attempt history. *Suicide and Life-Threatening Behavior*, 34, 374–385.
- Drake, R. E., & Cotton, P. G. (1986). Depression, hopelessness, and suicide in chronic schizophrenia. *British Journal of Psychiatry*, 148, 554–559.
- Duberstein, P. R., Conwell, Y., & Caine, E. D. (1994). Age differences in the personality characteristics of suicide completers: Preliminary findings from a psychological autopsy study. *Psychiatry*, 57, 213–224.

- Duberstein, P. R., Conwell, Y., Seidlitz, L., Denning, D. G., Cox, C., & Caine, E. D. (2000). Personality traits and suicidal behavior and ideation in depressed inpatients 50 years of age and older. *Journals of Gerontology Series B: Psychological Sciences & Social Sciences*, 55, P18–P26.
- Duberstein, P. R., Conwell, Y., Seidlitz, L., Lyness, J. M., Cox, C., & Caine, E. D. (1999). Age and suicidal ideation in older depressed inpatients. *American Journal of Geriatric Psychiatry*, 7, 289–296.
- Dubow, E. F., Kausch, D. F., Blum, M. C., Reed, J., & Bush, E. (1989). Correlates of suicidal ideation and attempts in a community sample of junior and senior high school students. *Journal of Clinical Child Psychiatry*, 18, 158–166.
- Dyer, J. A. T., & Kreitman, N. (1984). Hopelessness, depression and suicidal intent in parasuicide. *British Journal of Psychiatry*, 144, 127–133.
- D’Zurilla, T. J., Chang, E. C., Nottingham, E. J., & Faccini, L. (1998). Social problem solving deficits and hopelessness, depression, and suicide risk in college students and psychiatric inpatients. *Journal of Clinical Psychology*, 54, 1091–1107.
- D’Zurilla, T., Nezu, A., & Maydeu-Olivares, A. (2004). Social problem solving: Theory and assessment. In E. Chang, T. D’Zurilla, & C. Sanna (Eds.), *Social problem solving: Theory, research, and training* (pp. 11–27). Washington, DC: American Psychological Association.
- Ellis, J. B., & Smith, P. C. (1991). Spiritual well-being, social desirability and reasons for living: Is there a connection? *International Journal of Social Psychiatry*, 37, 57–63.
- Ellis, T. E. (2006). Epilogue: What have we learned about cognition and suicide and what more do we need to know? In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 369–380). Washington, DC: American Psychological Association.
- Ellis, T. E., & Newman, C. F. (1996). *Choosing to live: How to defeat suicide through cognitive therapy*. Oakland, CA: New Harbinger.
- Ellis, T. E., & Ratliff, K. G. (1986). Cognitive characteristics of suicidal and non-suicidal psychiatric inpatients. *Cognitive Therapy and Research*, 10, 625–634.
- Emery, G. D., Steer, R. A., & Beck, A. T. (1981). Depression, hopelessness, and suicidal intent among heroin addicts. *International Journal of Addictions*, 16, 425–429.
- Endicott, P. G., & Ogloff, J. R. P. (2006). Elucidation of impulsivity. *Australian Psychologist*, 41, 3–14.
- Erinoff, L., Compton, W. M., & Volkow, N. D. (2004). Drug abuse and suicidal behavior. *Drug and Alcohol Dependence*, 76(Suppl. 1), S1–S2.
- Esposito, C., Johnson, B., Wolfsdorf, B. A., & Spirito, A. (2003). Cognitive factors: Hopelessness, coping, and problem solving. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 89–112). New York: Academic Press.
- Esposito, C., Spirito, A., & Overholser, J. (2003). Behavioral factors: Impulsive and aggressive behavior. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and*

- treating adolescent suicide attempters: From research to practice* (pp. 147–159). New York: Academic Press.
- Evans, J., Evans, M., Morgan, H. G., Hayward, A., & Gunnell, D. (2005). Crisis card following self-harm: 12-month follow-up of a randomized controlled trial. *British Journal of Psychiatry*, 187, 186–187.
- Evans, K., Tyrer, P., Catalan, J., Schmidt, U., Davidson, K., Dent, J., et al. (1999). Manual-assisted cognitive-behavior therapy (MACT): A randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. *Psychological Medicine*, 29, 19–25.
- Eynan, R., Langley, J., Tolomiczenko, G., Rhodes, A. E., Links, P., Wasylenki, D., et al. (2002). The association between homelessness and suicidal ideation and behaviors: Results of a cross-sectional survey. *Suicide and Life-Threatening Behavior*, 32, 418–442.
- Farley, M., Golding, J. M., Young, G., Mulligan, M., & Minkoff, J. R. (2004). Trauma history and relapse probability among patients seeking substance abuse treatment. *Journal of Substance Abuse Treatment*, 27, 161–167.
- Faulkner, A. H., & Cranston, K. (1998). Correlates of same-sex behavior in a random sample of Massachusetts high school students. *American Journal of Public Health*, 88, 262–266.
- Favazza, A. R. (1996). *Bodies under siege: Self-mutilation and body modification in culture and psychiatry*. Baltimore: Johns Hopkins University Press.
- Fawcett, J., Busch, K. A., Jacobs, D., Kravitz, H. M., & Fogg, L. (1997). Suicide: A four-pathway clinical-biochemical model. In D. Stoff & J. Mann (Eds.), *The neurobiology of suicide: From bench to the clinic* (pp. 288–301). New York: New York Academy of Sciences.
- Feldman, M., & Wilson, A. (1997). Adolescent suicidality in urban minorities and its relationship to conduct disorders, depression, and separation anxiety. *Journal of the American Academy of Child & Adolescent Psychiatry*, 36, 75–84.
- Fenton, W. S., McGlashan, T. H., Vistor, B. J., & Blyer, C. R. (1997). Symptoms, subtype, and suicidality in patients with schizophrenia spectrum disorders. *American Journal of Psychiatry*, 154, 199–204.
- Forman, E. M., Berk, M. S., Henriques, G. R., Brown, G. K., & Beck, A. T. (2004). History of multiple suicide attempts as a behavioral marker of severe psychopathology. *American Journal of Psychiatry*, 161, 437–443.
- Fox, C., & Hawton, K. (2004). *Deliberate self-harm in adolescence*. London: Jessica Kingsley.
- Freedenthal, S. (2007). Challenges in assessing intent to die: Can suicide attempters be trusted? *Omega*, 55, 57–70.
- Fremouw, W., Callahan, B., & Kashden, J. (1993). Adolescent suicide risk: Psychological, problem-solving, and environmental factors. *Suicide and Life-Threatening Behavior*, 23, 46–54.
- Fridell, E. J., Ojehagen, A., & Träskman-Bendz, L. (1996). A 5-year follow-up study of suicide attempts. *Acta Psychiatrica Scandinavica*, 93, 151–157.

- Gallo, J. J., Anthony, J. C., & Muthen, B. O. (1994). Age differences in the symptoms of depression: A latent trait analysis. *Journal of Gerontology*, 49, P251–P264.
- Gallo, J. J., Rabins, P. V., & Anthony, J. C. (1999). Sadness in older persons: 13-year follow-up of a community sample in Baltimore, Maryland. *Psychological Medicine*, 29, 341–350.
- Garofalo, R., Wolf, R., Cameron, M. S., Kessel, S., Palfrey, J., & DuRant, R. H. (1998). The association between health risk behaviors and sexual orientation among a school-based sample of adolescents. *Pediatrics*, 101, 895–902.
- Gibbons, J. S., Butler, J., Urwin, P., & Gibbons, J. L. (1978). Evaluation of a social work service for self-poisoning patients. *British Journal of Psychiatry*, 133, 111–118.
- Gilman, S. E., Cochran, S. D., Mays, V. M., Hughes, M., Ostrow, D., & Kessler, R. C. (2001). Risk of psychiatric disorders among individuals reporting same-sex sexual partners in the National Comorbidity Survey. *American Journal of Public Health*, 91, 933–939.
- Gispert, M., Davis, M., Marsh, L., & Wheeler, R. (1987). Predictive factors in repeated suicide attempts by adolescents. *Hospital and Community Psychiatry*, 38, 390–393.
- Gitlin, J. M. (1999). A psychiatrist's reaction to a patient suicide. *American Journal of Psychiatry*, 156, 1630–1634.
- Glick, I. D., Zaninelli, R., Hsu, C., Young, F. K., Weiss, L., Gunay, I., et al. (2004). Patterns of concomitant psychotropic medication use during a 2-year study comparing clozapine and olanzapine for the prevention of suicidal behavior. *Journal of Clinical Psychiatry*, 65, 679–685.
- Glowinski, A. L., Bucholz, K. K., Nelson, E. C., Fu, Q., Madden, P., Reich, W., et al. (2001). Suicide attempts in an adolescent female twin sample. *Journal of the American Academy of Child & Adolescent Psychiatry*, 40, 1300–1307.
- Goldsmith, S. K., Pellman, T. C., Kleinman, A. M., & Bunney, W. E. (2002). *Reducing suicide: A national imperative*. Washington, DC: National Academies Press.
- Goldstein, R. B., Black, D. W., Nasrallah, A., & Winokur, G. (1991). The prediction of suicide: Sensitivity, specificity, and predictive value of a multivariate model applied to suicide among 1906 patients with affective disorders. *Archives of General Psychiatry*, 48, 418–422.
- Goldston, D. B. (2003). *Measuring suicidal behavior and risk in children and adolescents*. Washington, DC: American Psychological Association.
- Gould, M. S., Fisher, P., Parides, M., Flory, M., & Schaffer, D. (1996). Psychosocial risk factors of child and adolescent completed suicide. *Archives of General Psychiatry*, 53, 1155–1162.
- Gould, M. S., & Shaffer, D. (1986). The impact of suicide in television movies. *New England Journal of Medicine*, 315, 690–694.
- Gould, M. S., Shaffer, D., Fisher, P., & Garfinkel, R. (1998). Separation/divorce and child and adolescent completed suicide. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37, 155–162.

- Gould, M., Velting, D., Kleinman, M., Lucas, C., Thomas, J. G., & Chung, M. (2004). Teenagers' attitudes about coping strategies and help-seeking behavior for suicidality. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43, 1124–1133.
- Griffin-Fennell, F., & Williams, M. (2006). Examining the complexities of suicidal behavior in the African American community. *Journal of Black Psychology*, 32, 303–319.
- Gunnell, D., & Frankel, S. (1994). Prevention of suicide: Aspirations and evidence. *British Medical Journal*, 308, 1227–1233.
- Guthrie, E., Kapur, N., Mackway-Jones, K., Chew-Graham, C., Moorey, J., Mendel, E., et al. (2001). Randomised controlled trial of brief psychological intervention after deliberate self poisoning. *British Medical Journal*, 323, 135–138.
- Haring, M., Hewitt, P. L., & Flett, G. L. (2003). Perfectionism and the quality of intimate relationships. *Journal of Marriage and the Family*, 65, 143–158.
- Harrington, R., Kerfoot, M., Dyer, E., McNiven, F., Gill, J., Harrington, V., et al. (1998). Randomized trial of a home-based family intervention for children who have deliberately poisoned themselves. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37, 512–518.
- Harris, E. C., & Barraclough, B. (1994). Suicide as an outcome for medical disorders. *Medicine Baltimore*, 73, 281–396.
- Harris, E. C., & Barraclough, B. (1997). Suicide as an outcome for mental disorders: A meta-analysis. *British Journal of Psychiatry*, 170, 205–228.
- Harris, H. E., & Myers, W. C. (1997). Adolescents' misperceptions of the dangerousness of acetaminophen in overdose. *Suicide and Life-Threatening Behavior*, 27, 274–277.
- Harriss, L., & Hawton, K. (2005). Suicidal intent in deliberate self-harm and the risk of suicide: The predictive power of the Suicide Intent Scale. *Journal of Affective Disorders*, 86, 225–233.
- Harriss, L., Hawton, K., & Zahl, D. (2005). Value of measuring suicidal intent in the assessment of people attending hospital following self-poisoning or self-injury. *British Journal of Psychiatry*, 186, 60–66.
- Hausman, K. (2003). Psychiatrists often overwhelmed by a patient's suicide. *Psychiatric News*, 38, 6.
- Hawton, K. (1987). Assessment of suicide risk. *British Journal of Psychiatry*, 150, 145–153.
- Hawton, K., Arensman, E., Townsend, E., Bremner, S., Feldman, E., Goldney, R., et al. (1998). Deliberate self harm: Systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. *British Medical Journal*, 317, 441–447.
- Hawton, K., Bancroft, J., Catalan, J., Kingston, B., Stedford, A., & Welch, N. (1981). Domiciliary and outpatient treatment of self-poisoning patients by medical and nonmedical staff. *Psychological Medicine*, 11, 169–177.

- Hawton, K., Cole, D., O'Grady, J., & Osborne, M. (1982). Motivational aspects of deliberate self-poisoning in adolescents. *British Journal of Psychiatry*, 141, 286–291.
- Hawton, K., & Harriss, L. (2006). Deliberate self-harm in people aged 60 years and over: Characteristics and outcome of a 20-year cohort. *International Journal of Geriatric Psychiatry*, 21, 572–581.
- Hawton, K., Kingsbury, S., Steinhardt, K., James, A., & Fagg, J. (1999). Repetition of deliberate self-harm by adolescents: The role of psychological factors. *Journal of Adolescence*, 22, 369–378.
- Hawton, K., McKeown, S., Day, A., Martin, P., O'Connor, M., & Yule, J. (1987). Evaluation of out-patient counseling compared with general practitioner care following overdoses. *Psychological Medicine*, 17, 751–761.
- Hawton, K., Sutton, L., Haw, C., Sinclair, J., & Harriss, L. (2005). Suicide and attempted suicide in bipolar disorder: A systematic review of risk factors. *Journal of Clinical Psychiatry*, 66, 693–704.
- Hawton, K., Townsend, E., Arensman, E., Gunnell, D., Hazell, P., House, A., et al. (2005). Psychosocial and pharmacological treatments for deliberate self-harm. *Cochrane Database of Systematic Reviews*, 3, CD001764. doi: 10.1002/14651858.CD001764
- Hawton, K., Zahl, D., & Weatherall, R. (2003). Suicide following deliberate self-harm: Long-term follow-up of patients who presented to a general hospital. *British Journal of Psychiatry*, 182, 537–542.
- Hayes, L. M. (1995). *Prison suicide: An overview and guide to prevention*. Washington, DC: U.S. Department of Justice, National Institute of Corrections.
- Heikkinen, M., Aro, H., & Lönnqvist, J. (1994). Recent life events, social support and suicide. *Acta Psychiatrica Scandinavica*, 89, 65–72.
- Heikkinen, M. E., Isometsä, E. T., Marttunen, J. J., Aro, H. M., & Lönnqvist, J. K. (1995). Social factors in suicide. *British Journal of Psychiatry*, 167, 747–753.
- Heikkinen, M. E., & Lönnqvist, J. K. (1995). Recent life events in elderly suicide: A nationwide study in Finland. *International Psychogeriatrics*, 7, 287–300.
- Heila, H., Isometsä, E. T., Henriksson, M. M., Heikkinen, M. E., Marttunen, M. J., & Lönnqvist, J. K. (1997). Suicide and schizophrenia: A nationwide psychological autopsy study on age- and sex-specific clinical characteristics of 92 suicide victims with schizophrenia. *American Journal of Psychiatry*, 154, 1235–1242.
- Heisel, M. J., Duberstein, P. R., Conner, K. R., Franus, N., Beckman, A., & Conwell, Y. (2006). Personality and reports of suicide ideation among depressed adults 50 years of age or older. *Journal of Affective Disorders*, 90, 175–180.
- Hendin, H., Lipschitz, A., Maltzberger, J. T., Haas, A. P., & Whynecoop, S. (2000). Therapists' reactions to patient suicides. *American Journal of Psychiatry*, 157, 2022–2027.
- Henriques, G. R., Beck, A. T., & Brown, G. K. (2003). Cognitive therapy for adolescent and young adult suicide attempters. *American Behavioral Scientist*, 46, 1258–1268.

- Henriques, G., Wenzel, A., Brown, G. K., & Beck, A. T. (2005). Suicide attempters' reaction to survival as a risk factor for eventual suicide. *American Journal of Psychiatry*, 162, 2180–2182.
- Hepp, U., Wittmann, L., Schnyder, U., & Michel, K. (2004). Psychological and psychosocial interventions after attempted suicide: An overview of treatment studies. *Crisis*, 25, 108–117.
- Hewitt, P. L., & Flett, G. L. (1991). Perfectionism in the self and social contexts: Conceptualization, assessment, and association with psychopathology. *Journal of Personality and Social Psychology*, 60, 456–470.
- Hewitt, P. L., Flett, G. L., Sherry, S. B., & Caelian, C. (2006). Trait perfectionism dimensions and suicidal behavior. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 215–235). Washington, DC: American Psychological Association.
- Hewitt, P. L., Flett, G. L., & Turnbull-Donovan, W. (1992). Perfectionism and suicide potential. *British Journal of Clinical Psychology*, 31, 181–190.
- Hewitt, P. L., Flett, G. L., & Weber, C. (1994). Perfectionism, hopelessness, and suicide ideation. *Cognitive Therapy and Research*, 18, 439–468.
- Hewitt, P. L., Norton, G. R., Flett, G. L., Callender, L., & Cowan, T. (1998). Dimensions of perfectionism, hopelessness, and attempted suicide in a sample of alcoholics. *Suicide and Life-Threatening Behavior*, 28, 396–406.
- Hjelmeland, H., Stiles, T. C., Brille-Brahe, U., Ostamo, A., Renberg, E. S., & Wasserman, D. (1998). Parasuicide: The value of suicidal intent and various motives as predictors of future suicidal behaviour. *Archives of Suicide Research*, 4, 209–225.
- Hobson, R. F. (1985). *Forms of feeling*. London: Tavistock.
- Hollenbeck, J., Dyl, J., & Spirito, A. (2003). Social factors: Family functioning. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 161–189). New York: Academic Press.
- Hollon, S. D., Stewart, M. O., & Strunk, D. (2006). Enduring effects of cognitive behavior therapy in the treatment of depression and anxiety. *Annual Review of Psychology*, 57, 285–315.
- Holmstrand, C., Niméus, A., & Träskman-Bendz, L. (2006). Risk factors of future suicide in suicide attempters—A comparison between suicides and matched survivors. *Nordic Journal of Psychiatry*, 60, 162–167.
- Hoyer, G., & Lund, E. (1993). Suicide among women related to number of children in marriage. *Archives of General Psychiatry*, 50, 134–157.
- Huey, S. J., Henggeler, S. W., Rowland, M. D., Halliday-Boykins, C. A., Cunningham, P. B., Pickrel, S. G., et al. (2004). Multisystemic therapy effects on attempted suicide by youths presenting psychiatric emergencies. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43, 183–190.
- Hufford, M. R. (2001). Alcohol and suicidal behavior. *Clinical Psychology Review*, 21, 797–811.
- Hughes, D., & Kleespies, P. (2001). Suicide in the medically ill. *Suicide and Life-Threatening Behavior*, 31, 48–59.

- Hunter, E. C., & O'Connor, R. C. (2003). Hopelessness and future thinking in parasuicide: The role of perfectionism. *British Journal of Clinical Psychology*, 42, 355–365.
- Ingram, R. E., & Kendall, P. C. (1986). Cognitive clinical psychology: Implications of an information processing perspective. In R. E. Ingram (Ed), *Information processing approaches to clinical psychology* (pp. 3–21). San Diego, CA: Academic Press.
- Inskip, H. M., Harris, E. C., & Barraclough, B. (1998). Lifetime risk of suicide for affective disorder, alcoholism, and schizophrenia. *British Journal of Psychiatry*, 72, 35–37.
- Jarvik, L. F., Mintz, J., Steuer, J., & Gerner, R. (1982). Treating geriatric depression: A 26-week interim analysis. *Journal of the American Geriatrics Society*, 30, 713–717.
- Jeglic, E. L., Sharp, I. R., Chapman, J. E., Brown, G. K., & Beck, A. T. (2005). History of family suicide behaviors and negative problem solving in multiple suicide attempters. *Archives of Suicide Research*, 9, 135–146.
- Jobs, D. A. (2000). Collaborating to prevent suicide: A clinical-research perspective. *Suicide and Life-Threatening Behavior*, 30, 8–17.
- Jobs, D. A. (2006). *Managing suicidal risk: A collaborative approach*. New York: Guilford Press.
- Jobs, D. A., Jacoby, A. M., Cimboic, P., & Hustead, L. A. T. (1997). The assessment and treatment of suicidal clients in a university counseling center. *Journal of Counseling Psychology*, 44, 368–377.
- Jobs, D. A., & Mann, R. E. (1999). Reasons for living versus reasons for dying: Examining the internal debate of suicide. *Suicide and Life-Threatening Behavior*, 29, 97–104.
- Jobs, D. A., Wong, S. A., Conrad, A., Drozd, J. F., & Neal-Walden, T. (2005). The collaborative assessment and management of suicidality vs. treatment as usual: A retrospective study with suicidal outpatients. *Suicide and Life-Threatening Behavior*, 35, 483–497.
- Joe, S., & Kaplan, M. S. (2001). Suicide among African American men. *Suicide and Life-Threatening Behavior*, 31, 106–121.
- Joiner, T. E. (2005). *Why people die by suicide*. Cambridge, MA: Harvard University Press.
- Joiner, T. E., Brown, J. S., & Wingate, L. R. (2005). The psychology and neurobiology of suicidal behavior. *Annual Review of Psychology*, 56, 287–314.
- Joiner, T. E., Conwell, Y., Fitzpatrick, K. K., Witte, T. K., Schmidt, N. B., Merlim, M. T., et al. (2005). Four studies on how past and current suicidality relate even when “everything but the kitchen sink” is covaried. *Journal of Abnormal Psychology*, 114, 291–303.
- Joiner, T. E., Pettit, J. W., Walker, R. L., Voelz, Z. R., Cruz, J., Rudd, M. D., et al. (2002). Perceived burdensomeness and suicidality: Two studies on the suicide notes of those attempting and those completing suicide. *Journal of Social and Clinical Psychology*, 21, 531–545.

- Joiner, T. E., & Rudd, M. D. (2000). Intensity and duration of suicidal crises vary as a function of previous suicide attempts and negative life events. *Journal of Consulting and Clinical Psychology*, 68, 909–916.
- Joiner, T. E., Sachs-Ericsson, N. J., Wingate, L. R., Brown, J. W., Anestis, M. D., & Selby, E. A. (2007). Childhood physical and sexual abuse and lifetime number of suicide attempts: A persistent and theoretically important relationship. *Behaviour Research and Therapy*, 45, 539–547.
- Kadden, R. M., Litt, M. D., Cooney, N., Kabela, E., & Getter, H. (2001). Prospective matching of alcoholic clients to cognitive-behavioral or interactional group therapy. *Journal of Studies on Alcohol*, 62, 359–369.
- Kaplan, M. S., Huguet, N., McFarland, B. H., & Newsom, J. T. (2007). Suicide among male veterans: A prospective population-based study. *Journal of Epidemiology and Community Health*, 61, 619–624.
- Kashden, J., Fremouw, W. J., Callahan, T. S., & Franzen, M. D. (1993). Impulsivity in suicidal and nonsuicidal adolescents. *Journal of Abnormal Child Psychology*, 21, 339–353.
- Kazantzis, N., Deane, F. P., & Ronan, K. R. (2000). Homework assignments in cognitive and behavioral therapy: A meta-analysis. *Clinical Psychology: Science and Practice*, 7, 189–202.
- Kellerman, A. L., & Reay, D. T. (1986). Protection or peril? An analysis of forearm-related deaths in the home. *New England Journal of Medicine*, 327, 1557–1560.
- Kelly, K. T., & Knudson, M. P. (2000). Are no-suicide contracts effective in preventing suicide in suicidal patients seen by primary care physicians? *Archives of Family Medicine*, 9, 1119–1121.
- Kessler, R. C., Borges, G., & Walters, E. E. (1999). Prevalence of and risk factors for lifetime suicide attempts in the National Comorbidity Survey. *Archives of General Psychiatry*, 56, 617–626.
- King, C. A., Kramer, A., Preuss, L., Kerr, D. C. R., Weisse, L., & Venkataraman, S. (2006). Youth-nominated support team for suicidal adolescents (Version 1): A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 74, 199–206.
- King, C., Raskin, A., Gdowski, C., Butkus, M., & Oipari, L. (1990). Psychosocial factors associated with urban adolescent female suicide attempts. *Journal of the American Academy of Child & Adolescent Psychiatry*, 29, 289–294.
- Kingsbury, S., Hawton, K., Steinhardt, K., & James, A. (1999). Do adolescents who take overdoses have specific psychological characteristics? A comparative study with psychiatric and community controls. *Journal of the American Academy of Child & Adolescent Psychiatry*, 29, 289–294.
- Kleespies, P. M., & Dettmer, E. L. (2000). The stress of patient emergencies for the clinician: Incidence, impact, and means of coping. *Journal of Clinical Psychology*, 56, 1353–1369.
- Koller, G., Preuss, U. W., Bottlender, M., Wenzel, K., & Soyka, M. (2002). Impulsivity and aggression as predictors of suicide attempts in alcoholics. *European Archives of Psychiatry and Clinical Neuroscience*, 252, 155–160.

- Kölves, K., Värnik, A., Tooding, L.-M., & Wasserman, D. (2006). The role of alcohol in suicide: A case-control psychological autopsy study. *Psychological Medicine*, 36, 923–930.
- Kosky, R., Silburn, S., & Zubrick, S. (1990). Are children and adolescents who have suicidal thoughts different from those who attempt suicide? *The Journal of Nervous and Mental Disease*, 178, 38–43.
- Kovacs, M., & Beck, A. T. (1977). The wish to die and the wish to live in attempted suicides. *Journal of Clinical Psychology*, 33, 361–365.
- Kovacs, M., Beck, A. T., & Weissman, A. (1975). Hopelessness: An indicator of suicidal risk. *Suicide*, 5, 98–103.
- Kovacs, M., Beck, A. T., & Weissman, A. (1976). The communication of suicidal intent: A reexamination. *Archives of General Psychiatry*, 33, 198–201.
- Kposowa, A. J. (2000). Marital status and suicide in the National Longitudinal Mortality Study. *Journal of Epidemiology and Community Health*, 54, 254–261.
- Kraemer, H. C., Kazdin, A. E., Offord, D. R., Kessler, R. C., Jensen, P. S., & Kupfer, D. J. (1997). Coming to terms with the terms of risk. *Archives of General Psychiatry*, 54, 337–343.
- Kreitman, N. (1979). Reflections on the management of parasuicide. *British Journal of Psychiatry*, 135, 275–277.
- Kreitman, N., Carstairs, V., & Duffy, J. (1991). Association of age and social class with suicide among men in Great Britain. *Journal of Epidemiological Community Health*, 45, 195–202.
- Kreitman, N., & Philip, A. E. (1969). Parasuicide [Letter to the editor]. *British Journal of Psychiatry*, 115, 746–747.
- Krupinski, M., Fischer, A., Grohmann, R., Engel, R., Hollweg, M., & Möller, H.-J. (1998). Risk factors for suicides of inpatients with depressive psychoses. *European Archives of Psychiatry and Clinical Neuroscience*, 248, 141–147.
- Kuo, W., Gallo, J. J., & Tien, A. Y. (2001). Incidence of suicide ideation and attempts in adults: The 13-year follow-up of a community sample in Baltimore, Maryland. *Psychological Medicine*, 31, 1181–1191.
- Laederach, L., Fischer, W., Bowen, P., & Ladame, F. (1999). Common risk factors in adolescent suicide attempters revisited. *Crisis*, 20, 15–22.
- Laidlaw, K., Thompson, L. W., Dick-Siskin, L., & Gallagher-Thompson, D. (2003). *Cognitive behaviour therapy with older people*. New York: Wiley.
- Lehnert, K. L., Overholser, J. C., & Spirito, A. (1994). Internalized and externalized anger in adolescent suicide attempters. *Journal of Adolescent Research*, 9, 105–119.
- Lester, D., & Beck, A. T. (1975). Attempted suicide: Correlates of increasing medical lethality. *Psychological Reports*, 37, 1236–1238.
- Lester, D., Beck, A. T., & Mitchell, B. (1979). Extrapolation from attempted suicides to completed suicides: A test. *Journal of Abnormal Psychology*, 88, 78–80.
- Levenson, J. L., & Bostwick, J. M. (2005). Suicidality in the medically ill. *Primary Psychiatry*, 12, 16–18.

- Lewinsohn, P. M., Rohde, P., & Seeley, J. R. (1994). Psychosocial risk factors for future adolescent suicide attempts. *Journal of Consulting and Clinical Psychology*, 62, 297–305.
- Li, G. (1995). The interaction effect of bereavement and sex on the risk of suicide in the elderly: An historical cohort study. *Social Science Medicine*, 40, 825–828.
- Liberman, R. P., & Eckman, T. (1981). Behavior therapy vs. insight-oriented therapy for repeat suicide attempters. *Archives of General Psychiatry*, 38, 1126–1130.
- Lindqvist, D., Niméus, A., & Träskman-Bendz, L. (2007). Suicidal intent and psychiatric symptoms among inpatient suicide attempters. *Nordic Journal of Psychiatry*, 61, 27–32.
- Linehan, M. M. (1993a). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M. (1993b). *Skills training manual for treating borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M. (1997). Behavioral treatments of suicidal behaviors: Definitional obfuscation and treatment outcomes. *Annals of the New York Academy of Sciences*, 836, 302–328.
- Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D., & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 836, 1060–1064.
- Linehan, M. M., Comtois, K. A., Murray, A. M., Brown, M. Z., Gallop, R. J., Heard, H., et al. (2006). Two-year randomized controlled trial and follow-up of dialectical behavior therapy vs therapy by experts for suicidal behaviors and borderline personality disorder. *Archives of General Psychiatry*, 63, 757–766.
- Linehan, M. M., Goodstein, J. L., Nielsen, S. L., & Chiles, J. A. (1983). Reasons for staying alive when you are thinking of killing yourself: The Reasons for Living Inventory. *Journal of Consulting and Clinical Psychology*, 51, 276–286.
- Links, P. S., Heisel, M. J., & Quastel, A. (2005). Is suicide ideation a surrogate endpoint for geriatric suicide? *Suicide and Life-Threatening Behavior*, 35, 193–205.
- Litt, M. D., Kadden, R. M., Cooney, N. L., & Kabela, E. (2003). Coping skills and treatment outcomes in cognitive-behavioral and interactional group therapy for alcoholism. *Journal of Consulting and Clinical Psychology*, 71, 118–128.
- Loebel, J. P. (2005). Completed suicide in late life. *Psychiatric Services*, 56, 260–262.
- Lönnqvist, J. K. (2000). Psychiatric aspects of suicidal behaviour: depression. In K. Hawton & K. Van Heeringen (Eds.), *The international handbook of suicide and attempted suicide* (pp. 107–120). Chichester, England: Wiley.
- Lönnqvist, J. K., Henriksson, M. M., Isometsä, E. T., Marttunen, M. J., Heikkinen, M. E., Aro, H. M., et al. (1995). Mental disorders and suicide prevention. *Psychiatry & Clinical Neurosciences*, 49, S111–S116.
- MacLeod, C., Mathews, A. M., & Tata, P. (1986). Attentional bias in emotional disorders. *Journal of Abnormal Psychology*, 95, 15–20.
- MacMahon, B., & Pugh, T. F. (1985). Suicide in the widowed. *American Journal of Epidemiology*, 81, 23–31.

- Malone, K. M., Oquendo, M. A., Haas, G. L., Ellis, S. P., Li, S., & Mann, J. J. (2000). Protective factors against suicidal acts in major depression: Reasons for living. *American Journal of Psychiatry*, 157, 1084–1088.
- Mann, J. J. (2003). Neurobiology of suicidal behaviour. *Nature Reviews Neuroscience*, 4, 819–828.
- Mann, J. J., Apter, A., Bertolote, J., Beautrais, A., Currier, D., Haas, A., et al. (2005, October 26). Suicide prevention strategies: A systematic review. *JAMA*, 294, 2064–2074.
- Mann, J. J., Waternaux, C., Haas, G. L., & Malone, K. M. (1999). Toward a clinical model of suicidal behavior in psychiatric patients. *American Journal of Psychiatry*, 156, 181–189.
- Marzuk, P. M., Leon, A. C., Tardiff, K., Morgan, E. B., Stajic, M., & Mann, J. J. (1992). The effect of access to lethal methods of injury on suicide rates. *Archives of General Psychiatry*, 49, 451–458.
- Maser, J. D., Akiskal, H. S., Schettler, P., Scheftner, W., Mueller, T., Endicott, J., et al. (2002). Can temperament identify affectively ill patients who engage in lethal or near-lethal suicidal behavior? A 14-year prospective study. *Suicide and Life-Threatening Behavior*, 32, 10–32.
- McCabe, S. E., Boyd, C., Cranford, J., Morales, M., & Slayden, J. (2006). A modified version of the Drug Abuse Screening Test among undergraduate students. *Journal of Substance Abuse Treatment*, 31, 297–303.
- McCloud, A., Barnaby, B., Omu, N., Drummond, C., & Aboud, A. (2004). Relationship between alcohol use disorders and suicidality in a psychiatric population. *British Journal of Psychiatry*, 184, 439–445.
- McHolm, A. E., MacMillan, H. L., & Jamieson, E. (2003). The relationship between childhood physical abuse and suicidality among depressed women: Results from a community sample. *American Journal of Psychiatry*, 160, 933–938.
- McLeavey, B. C., Daly, R. J., Ludgate, J. W., & Murray, C. M. (1994). Interpersonal problem-solving skills training in the treatment of self-poisoning patients. *Suicide and Life-Threatening Behavior*, 24, 382–394.
- McMillan, D., Gilbody, S., Beresford, E., & Neilly, L. (2007). Can we predict suicide and non-fatal self-harm with the Beck Hopelessness Scale? A meta-analysis. *Psychological Medicine*, 37, 769–778.
- McNally, R. J. (1995). Automaticity and the anxiety disorders. *Behaviour Research and Therapy*, 33, 747–754.
- Mehlenbeck, R., Spirito, A., Barnett, N., & Overholser, J. (2003). Behavioral factors: Substance use. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 113–145). New York: Academic Press.
- Meltzer, H. Y. (2003). Reducing the risk for suicide in schizophrenia and affective disorders. *Journal of Clinical Psychiatry*, 64, 1122–1129.
- Meltzer, H. Y., Alphas, L., Green, A. I., Altamura, A. C., Anand, R., Bertoldi, A., et al. (2003). Clozapine treatment for suicidality in schizophrenia: International suicide prevention trial (InterSePT). *Archives of General Psychiatry*, 60, 82–91.

- Michaelis, B. H., Goldberg, J. F., Davis, G. P., Singer, T. M., Garno, J. L., & Wenze, S. J. (2004). Dimensions of impulsivity and aggression associated with suicide attempts among bipolar patients: A preliminary study. *Suicide and Life-Threatening Behavior*, 34, 172–176.
- Mieczkowski, T. A., Sweeney, J. A., Haas, G. L., Junker, B. W., Brown, R. P., & Mann, J. J. (1993). Factor composition of the Suicide Intent Scale. *Suicide and Life-Threatening Behavior*, 23, 37–45.
- Miller, A. L., Rathus, J. H., & Linehan, M. M. (2007). *Dialectical behavior therapy with suicidal adolescents*. New York: Guilford Press.
- Minkoff, K., Bergman, E., Beck, A. T., & Beck, R. (1973). Hopelessness, depression, and attempted suicide. *American Journal of Psychiatry*, 130, 455–459.
- Moeller, F. G., Barratt, E. S., Dougherty, D. M., Schmitz, J. M., & Swann, A. C. (2001). Psychiatric aspects of impulsivity. *American Journal of Psychiatry*, 158, 1783–1793.
- Moher, D., Schulz, K. F., & Altman, D., for the CONSORT Group. (2001, April 18). The CONSORT statement: Revised recommendations for improving the quality of reports of parallel-group randomized trials. *JAMA*, 285, 1987–1991.
- Moller, H. J. (1989). Efficacy of different strategies of aftercare for patients who have attempted suicide. *Journal of the Royal Society of Medicine*, 82, 643–647.
- Montano, C. B. (1999). Primary care issues related to the treatment of depression in elderly patients. *Journal of Clinical Psychiatry*, 60, 45–51.
- Montgomery, D. B., Roberts, A., Green, M., Bullock, T., Baldwin, D., & Montgomery, S. A. (1994). Lack of efficacy of fluoxetine in recurrent brief depression and suicidal attempts. *European Archives of Psychiatry and Clinical Neuroscience*, 244, 211–215.
- Montgomery, S. A., Roy, D., & Montgomery, D. B. (1983). The prevention of recurrent suicidal acts. *British Journal of Clinical Pharmacology*, 15, 183–188.
- Morgan, H. G., Burns-Cox, C. J., Pocock, H., & Pottle, S. (1975). Deliberate self-harm: Clinical and socio-economic characteristics of 368 patients. *British Journal of Psychiatry*, 127, 564–574.
- Morgan, H. G., Jones, E. M., & Owen, J. H. (1993). Secondary prevention of non-fatal deliberate self-harm. *British Journal of Psychiatry*, 163, 111–112.
- Morgenstern, J., & Longabaugh, R. (2000). Cognitive-behavioral treatment for alcohol dependence: A review of evidence for its hypothesized mechanisms of action. *Addiction*, 95, 1475–1490.
- Mortensen, P. B., & Juel, K. (1993). Mortality and causes of death in first admitted schizophrenic patients. *British Journal of Psychiatry*, 163, 183–189.
- Moceicki, E. K. (1995). Gender differences in completed and attempted suicides. *Annals of Epidemiology*, 4, 152–158.
- Moceicki, E. K. (1999). Epidemiology of suicide. In D. G. Jacobs (Ed.), *The Harvard Medical School guide to suicide assessment intervention* (pp. 40–51). San Francisco: Jossey-Bass.

- Mościcki, E. K., O'Carroll, P., Rae, D. S., Locke, B. Z., Roy, A., & Regier, D. A. (1988). Suicide attempts in the Epidemiologic Catchment Area Study. *Yale Journal of Biology and Medicine*, 61, 259–268.
- Motto, J. A. (1976). Suicide prevention for high-risk persons who refuse treatment. *Suicide and Life-Threatening Behavior*, 6, 223–230.
- Motto, J. A. (1980). Suicide risk factors in alcohol abuse. *Suicide and Life-Threatening Behavior*, 10, 230–238.
- Motto, J. A., & Bostrom, A. G. (2001). A randomized controlled trial of postcrisis suicide prevention. *Psychiatric Services*, 52, 828–833.
- Müller-Oerlinghausen, B., Muser-Causemann, B., & Volk, J. (1992). Suicides and parasuicides in a high-risk patient group on and off lithium long-term medication. *Journal of Affective Disorders*, 25, 261–269.
- Murphy, G. E. (1984). The prediction of suicide: Why is it so difficult? *American Journal of Psychotherapy*, 38, 341–349.
- Murphy, G. E., & Wetzel, R. D. (1982). Family history of suicidal behavior among suicide attempters. *The Journal of Nervous and Mental Disease*, 170, 86–90.
- Nakamura, J. W., McLeod, C., & McDermott, J. (1994). Temporal variation in adolescent suicide attempts. *Suicide and Life-Threatening Behavior*, 24, 343–349.
- Negron, R., Piacentini, J., Graae, E., Davies, M., & Shaffer, D. (1997). Microanalysis of adolescent suicide attempters and ideators during the acute suicidal episode. *Journal of the American Academy of Child & Adolescent Psychiatry*, 36, 1512–1219.
- Niméus, A., Alsen, M., & Träskman-Bendz, L. (2002). High suicidal intent scores indicate future suicide. *Archives of Suicide Research*, 6, 211–219.
- Nock, M. K., Joiner, T. E., Gordon, K. H., Lloyd-Richardson, E., & Prinstein, M. J. (2006). Non-suicidal self-injury among adolescents: Diagnostic correlates and relation to suicide attempts. *Psychiatry Research*, 144, 65–72.
- Nock, M. K., & Kessler, R. C. (2006). Prevalence of and risk factors for suicide attempts versus suicide gestures: Analysis of the National Comorbidity Survey. *Journal of Abnormal Psychology*, 115, 616–623.
- Nordström, P., Åsberg, M., Åberg-Wistedt, A., & Nordin, C. (1995). Attempted suicide predicts suicide risk in mood disorders. *Acta Psychiatrica Scandinavica*, 92, 345–350.
- O'Boyle, M., & Brandon, E. A. A. (1998). Suicide attempts, substance abuse, and personality. *Journal of Substance Abuse Treatment*, 15, 353–356.
- O'Brien, G., Holton, A., Hurren, K., & Watt, L. (1987). Deliberate self-harm and predictors of out-patient attendance. *British Journal of Psychiatry*, 150, 246–247.
- O'Carroll, P. W., Berman, A. L., Maris, R. W., Mościcki, E. K., Tanney, B. L., & Silverman, M. M. (1996). Beyond the Tower of Babel: A nomenclature for suicidology. *Suicide and Life-Threatening Behavior*, 26, 237–252.
- O'Connor, R. C. (2007). The relations between perfectionism and suicidality: A systematic review. *Suicide and Life-Threatening Behavior*, 37, 698–714.

- O'Connor, R. C., Whyte, M.-C., Fraser, L., Masterton, G., Miles, J., & MacHale, S. (2007). Predicting short-term outcome in well-being following suicidal behaviour: The conjoint effects of social perfectionism and positive future thinking. *Behaviour Research and Therapy*, 45, 1543–1555.
- O'Donohue, W. T., & Levensky, E. R. (Eds.). (2006). *Promoting treatment adherence: A practical handbook for health care providers*. London: Sage.
- Olson, D. H., Portner, J., & Lavee, Y. (1985). *FACES III*. St. Paul: Family Social Science, University of Minnesota.
- Olson, L. M., & Wahab, S. (2006). American Indians and suicide: A neglected area of research. *Trauma, Violence, and Abuse*, 7, 19–33.
- Oquendo, M. A., Bongiovi-Garcia, M. W., Galfalvy, H., Goldberg, P. H., Grunebaum, M. F., Burke, A. K., et al. (2007). Sex differences in clinical predictors of suicidal acts after major depression: A prospective study. *American Journal of Psychiatry*, 164, 134–141.
- Oquendo, M. A., Dragasti, D., Harkavy-Friedman, J., Dervic, K., Currier, D., Burke, A. K., et al. (2005). Protective factors against suicidal behavior in Latinos. *The Journal of Nervous and Mental Disease*, 193, 438–443.
- Oquendo, M. A., Ellis, S. P., Greenwald, S., Malone, K. M., Weissman, M. M., & Mann, J. J. (2001). Ethnic and sex differences in suicide rates relative to major depression in the United States. *American Journal of Psychiatry*, 158, 1652–1658.
- Oquendo, M. A., Galfalvy, H., Russo, S., Ellis, S. P., Grunebaum, M. F., Burke, A., et al. (2004). Prospective study of clinical predictors of suicidal acts after a major depressive episode in patients with major depressive disorder or bipolar disorder. *American Journal of Psychiatry*, 161, 1433–1441.
- Oquendo, M. A., Kamali, M., Ellis, S. P., Grunebaum, M. F., Malone, K. M., Brodsky, B. S., et al. (2002). Adequacy of antidepressant treatment after discharge and the occurrence of suicidal acts in major depression: A prospective study. *American Journal of Psychiatry*, 159, 1746–1751.
- Orbach, I., Bar-Joseph, H., & Dror, N. (1990). Styles of problem solving in suicidal individuals. *Suicide and Life-Threatening Behavior*, 20, 56–64.
- Osman, A., Kopper, B. A., Linehan, M. M., Barrios, F. X., Gutierrez, P. M., & Bagge, C. L. (1999). Validation of the Adult Suicidal Ideation Questionnaire and the Reasons for Living Inventory in an adult psychiatric inpatient sample. *Psychological Assessment*, 11, 115–223.
- Pallis, D. J., & Sainsbury, P. (1976). The value of assessing suicide intent in attempted suicide. *Psychological Medicine*, 6, 487–492.
- Paris, J. (2006). Predicting and preventing suicide: Do we know enough to do either? *Harvard Review of Psychiatry*, 14, 233–240.
- Patsiokas, A. T., & Clum, G. A. (1985). Effects of psychotherapeutic strategies in the treatment of suicide attempters. *Psychotherapy*, 22, 281–290.
- Patten, S. B. (2000). Selection bias in studies of major depression using clinical subjects. *Journal of Clinical Epidemiology*, 53, 351–357.
- Patton, J. H., Stanford, M. S., & Barratt, E. S. (1995). Factor structure of the Barratt Impulsiveness Scale. *Journal of Clinical Psychology*, 51, 768–774.

- Pearson, J. L., & Brown, G. K. (2000). Suicide prevention in late life: Directions for science and practice. *Clinical Psychology Review*, 20, 685–705.
- Pearson, J. L., Conwell, Y., & Lyness, J. M. (1997). Late-life suicide and depression in the primary care setting. In L. S. Schneider (Ed.), *Developments in geriatric psychiatry: New directions for mental health services* (pp. 13–38). San Francisco: Jossey-Bass.
- Pelkonen, M., Marttunen, M., Pulkkinen, E., Laippala, P., & Aro, H. (1997). Characteristics of out-patient adolescents with suicidal tendencies. *Acta Psychiatrica Scandinavica*, 95, 100–107.
- Persons, J. B. (2006). Case formulation-driven psychotherapy. *Clinical Psychology: Science and Practice*, 13, 167–170.
- Pfeffer, C. R., Hurt, S. W., Peskin, J. R., & Siefker, C. A. (1995). Suicidal children grow up: Ego functions associated with suicide attempts. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38, 846–851.
- Pfeffer, C. R., Newcorn, J., Kaplan, G., Mizruchi, M., & Plutchik, R. (1988). Suicidal behavior in adolescent psychiatric inpatients. *Journal of the American Academy of Child & Adolescent Psychiatry*, 27, 357–361.
- Pierce, D. (1987). Deliberate self-harm in the elderly. *International Journal of Geriatric Psychiatry*, 2, 105–110.
- Pillay, A. L., & Wassenaar, D. R. (1995). Psychological intervention, spontaneous remission, hopelessness, and psychiatric disturbance in adolescent parasuicides. *Suicide and Life-Threatening Behavior*, 25, 386–392.
- Pokorny, A. D. (1983). Prediction of suicide in psychiatric patients. *Archives of General Psychiatry*, 40, 249–257.
- Pollock, L. R., & Williams, J. M. G. (2004). Problem-solving in suicide attempters. *Psychological Medicine*, 34, 163–167.
- Pope, K., & Tabachnick, B. (1993). Therapists' anger, hate, fear, and sexual feelings: National survey of therapist responses, client characteristics, critical events, formal complaints, and training. *Professional Psychology: Research and Practice*, 24, 142–152.
- Posner, K., Brent, D., Lucas, C., Gould, M., Stanley, B., Brown, G., et al. (2007). *Columbia Suicide Severity Rating Scale (C-SSRS)*. Unpublished manuscript, Columbia University.
- Posner, K., Oquendo, M., Stanley, B., Davies, M., & Gould, M. (2007). Columbia classification algorithm of suicide assessment (C-CASA). *American Journal of Psychiatry*, 164, 1035–1043.
- Pratt, D., Piper, M., Appleby, L., Webb, R., & Shaw, J. (2006, July 8). Suicide in recently released prisoners: A population-based cohort study. *Lancet*, 368, 119–123.
- Preuss, U. W., Schuckit, M. A., Smith, T. L., Danko, G. P., Bierut, L., Bucholz, K. K., et al. (2002). Comparison of 3190 alcohol-dependent individuals with and without suicide attempts. *Alcoholism: Clinical and Experimental Research*, 26, 471–477.

- Preuss, U. W., Schuckit, M. A., Smith, T. L., Danko, G. P., Bucholz, K. K., Hesselbrock, M. N., et al. (2003). Predictors and correlates of suicide attempts over 5 years in 1,237 alcohol-dependent men and women. *American Journal of Psychiatry*, 160, 56–63.
- Priester, M. K., & Clum, G. A. (1993). The problem-solving diathesis in depression, hopelessness, and suicide ideation: A longitudinal analysis. *Journal of Psychopathology and Behavioral Assessment*, 15, 239–254.
- Prigerson, H. G., Desai, R. A., Lui-Mares, W., & Rosenheck, R. A. (2003). Suicidal ideation and suicide attempts in homeless mentally ill persons. *Social Psychiatry Psychiatric Epidemiology*, 38, 213–219.
- Prinstein, M. J. (2003). Social factors: Peer relationships. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 191–213). New York: Academic Press.
- Project MATCH Research Group. (1997). Matching alcoholism treatments to client heterogeneity: Project MATCH posttreatment drinking outcomes. *Journal of Studies on Alcohol*, 58, 7–29.
- Qin, P., Agerbo, E., Westergård-Nielsen, N., Eriksson, T., & Mortensen, P. B. (2000). Gender differences in risk factors for suicide in Denmark. *British Journal of Psychiatry*, 177, 546–550.
- Ramsay, J. R., & Newman, C. F. (2005). After the attempt: Maintaining the therapeutic alliance following a patient's suicide attempt. *Suicide and Life-Threatening Behavior*, 35, 413–424.
- Range, L. M., & Penton, S. R. (1994). Hope, hopelessness, and suicidality in college students. *Psychological Reports*, 75, 456–458.
- Ranieri, W. F., Steer, R. A., Lavrence, T. I., Rissmiller, D. J., Piper, G. E., & Beck, A. T. (1987). Relationships of depression, hopelessness, and dysfunctional attitudes to suicide ideation in psychiatric patients. *Psychological Reports*, 61, 967–975.
- Reid, W. H. (1998). Promises, promises: Don't rely on patients' no-suicide/no-violence "contracts." *Journal of Practical Psychiatry and Behavioral Health*, 4, 316–318.
- Reinecke, M. A. (2006). Problem solving: A conceptual approach to suicidality and psychotherapy. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 237–260). Washington, DC: American Psychological Association.
- Reinecke, M. A., DuBois, D. L., & Schultz, T. M. (2001). Social problem solving, mood, and suicidality among inpatient adolescents. *Cognitive Therapy and Research*, 25, 743–756.
- Remafedi, G., French, S., Story, M., Resnick, M., & Blum, R. (1998). The relationship between suicide risk and sexual orientation: Results of a population-based study. *American Journal of Public Health*, 88, 57–60.
- Rich, C. L., Warstadt, G. M., Nemiroff, R. A., Fowler, R. C., & Young, D. (1991). Suicide, stressors, and the life cycle. *American Journal of Psychiatry*, 148, 524–527.

- Rifai, A. H., George, C. J., Stack, J. A., Mann, J. J., & Reynolds, C. F. (1994). Hopelessness continues to distinguish suicide attempters after acute treatment of major depression in later-life. *American Journal of Psychiatry*, 151, 1687–1690.
- Rogers, P., Watt, A., Gray, N. S., MacCulloch, M., & Gournay, K. (2002). Content of command hallucinations predicts self-harm but not violence in a medium secure unit. *Journal of Forensic Psychiatry*, 13, 251–262.
- Ross, R. K., Bernstein, L., Trent, L., Henderson, B. E., & Paganini-Hill, A. (1990). A prospective study of risk factors for traumatic deaths in a retirement community. *Preventive Medicine*, 19, 323–334.
- Rossow, I., & Wichstrom, L. (1994). Parasuicide and use of intoxicants among Norwegian adolescents. *Suicide and Life-Threatening Behavior*, 24, 174–183.
- Roth, A., & Fonagy, P. (2005). *What works for whom: A critical review of psychotherapy research* (2nd ed.). New York: Guilford Press.
- Rotheram-Borus, M. J., Piacentini, J., Miller, S., Graae, F., & Castro-Blanco, D. (1994). Brief cognitive-behavioral treatment for adolescent suicide attempters and their families. *Journal of the American Academy of Child & Adolescent Psychiatry*, 33, 508–517.
- Rotheram-Borus, M. J., Trautman, P. D., Dopkins, S., & Shrout, P. (1990). Cognitive style and pleasant activities among female adolescent suicide attempters. *Journal of Consulting and Clinical Psychology*, 58, 554–561.
- Rowe, J. L., Conwell, Y., Schulberg, H. C., & Bruce, M. L. (2006). Social support and suicidal ideation in older adults using home healthcare services. *American Journal of Geriatric Psychiatry*, 14, 758–766.
- Roy, A. (2001). Serum cholesterol, suicidal behavior, and impulsivity in cocaine-dependent patients. *Psychiatry Research*, 101, 243–247.
- Roy, A. (2002). Characteristics of opiate dependent patients who attempt suicide. *Journal of Clinical Psychiatry*, 63, 403–407.
- Roy, A. (2003a). Characteristics of drug addicts who attempt suicide. *Psychiatry Research*, 121, 99–103.
- Roy, A. (2003b). Distal risk factors for suicidal behavior in alcoholics: Replications and new findings. *Journal of Affective Disorders*, 77, 267–271.
- Roy, A., & Janal, M. (2006). Gender in suicide attempt rates and childhood sexual abuse rates: Is there an interaction? *Suicide and Life-Threatening Behavior*, 36, 329–335.
- Rubenowitz, E., Waern, M., Wilhelmson, K., & Allebeck, P. (2001). Life events and psychosocial factors in elderly suicides: A case-control study. *Psychological Medicine*, 31, 1193–1202.
- Rudd, M. D. (2000). Integrating science into the practice of clinical suicidology: A review of the psychotherapy literature and a research agenda for the future. In R. W. Maris, S. S. Canetto, J. L. McIntosh, & M. M. Silverman (Eds.), *Review of Suicidology 2000* (pp. 49–83). New York: Guilford Press.
- Rudd, M. D. (2004). Cognitive therapy for suicidality: An integrative, comprehensive, and practical approach to conceptualization. *Journal of Contemporary Psychotherapy*, 34, 59–72.

- Rudd, M. D. (2006). Fluid Vulnerability Theory: A cognitive approach to understanding the process of acute and chronic suicide risk. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 355–368). Washington, DC: American Psychological Association.
- Rudd, M. D., Berman, A. L., Joiner, T. E., Nock, M. K., Silverman, M. M., Mandrusiak, M., et al. (2006). Warning signs for suicide: Theory, research, and clinical applications. *Suicide and Life-Threatening Behavior*, 36, 255–262.
- Rudd, M. D., Joiner, T., Brown, G. K., Cukrowica, K., Jobes, D., Silverman, M., et al. (in press). Informed consent with suicidal patients: Rethinking risks in (and out of) treatment. *Suicide and Life-Threatening Behavior*.
- Rudd, M. D., Joiner, T., & Rajab, M. H. (1996). Relationships among suicide ideators, attempters, and multiple attempters in a young adult sample. *Journal of Abnormal Psychology*, 105, 541–550.
- Rudd, M. D., Joiner, T., & Rajab, M. H. (2001). *Treating suicidal behavior: An effective, time-limited approach*. New York: Guilford Press.
- Rudd, M. D., Mandrusiak, M., & Joiner, T. E. (2006). The case against no-suicide contracts: The commitment to treatment statement as a practice alternative. *Journal of Clinical Psychology*, 62, 243–251.
- Rudd, M. D., Rajab, M. H., & Dahm, P. F. (1994). Problem-solving appraisal in suicide ideators and attempters. *American Journal of Orthopsychiatry*, 58, 562–564.
- Rush, A. J., Beck, A. T., Kovacs, M., Weissenburger, J., & Hollon, S. D. (1982). Comparison of the effects of cognitive therapy and pharmacotherapy on hopelessness and self concept. *American Journal of Psychiatry*, 139, 862–866.
- Russell, S. T., & Joyner, K. (2001). Adolescent sexual orientation and suicide risk: Evidence from a national study. *American Journal of Public Health*, 91, 1276–1281.
- Rychtarik, R. G., McGillicuddy, N. B., Connors, G. J., & Whitney, R. B. (1998). Participant selection biases in a randomized clinical trial of alcoholism treatment settings and intensities. *Alcoholism: Clinical and Experimental Research*, 22, 969–973.
- Salkovskis, P. M., Atha, C., & Storer, D. (1990). Cognitive-behavioral problem solving in the treatment of patients who repeatedly attempt suicide. *British Journal of Psychiatry*, 157, 871–876.
- Samuelsson, M., Jokinen, J., Nordström, A.-L., & Nordström, P. (2006). CSF 5-HIAA, suicide intent and hopelessness in the prediction of early suicide in male high-risk suicide attempters. *Acta Psychiatrica Scandinavica*, 113, 44–47.
- Schotte, D. E., & Clum, G. A. (1982). Suicide ideation in a college population: A test of a model. *Journal of Consulting and Clinical Psychology*, 50, 690–696.
- Schotte, D. E., & Clum, G. A. (1987). Problem-solving skills in suicidal psychiatric patients. *Journal of Consulting and Clinical Psychology*, 55, 49–54.
- Schotte, D. E., Cools, J., & Payvar, S. (1990). Problem-solving deficits in suicidal patients: Trait vulnerability or state phenomenon? *Journal of Consulting and Clinical Psychology*, 58, 562–564.

- Scott, C., Tacchi, M. J., Jones, R., & Scott, J. (1997). Acute and one-year outcome of a randomised controlled trial of brief cognitive therapy for major depressive disorder primary care. *British Journal of Psychiatry*, 171, 131–134.
- Shadish, W. R., Matt, G. E., Navarro, A. M., & Phillips, G. (2000). The effects of psychological therapies under clinically representative conditions: A meta-analysis. *Psychological Bulletin*, 126, 512–529.
- Shaffer, D., Garland, A., Gould, M., Fisher, P., & Trautman, P. (1988). Preventing teenage suicide: A critical review. *Journal of the Academy of Child & Adolescent Psychiatry*, 27, 675–687.
- Shaffer, D., & Pfeffer, C. (2001). Practice parameters for the assessment and treatment of children and adolescents with suicidal behavior. *Journal of the American Academy of Child & Adolescent Psychiatry*, 40, 24S–51S.
- Sharma, V., Persad, E., & Kueneman, K. (1998). A closer look at inpatient suicide. *Journal of Affective Disorders*, 47, 123–129.
- Shenassa, E. D., Catlin, S. N., & Buka, S. L. (2003). Lethality of firearms relative to other suicide methods: A population based study. *Journal of Epidemiology and Community Health*, 57, 120–124.
- Shneidman, E. (1985). *Definition of suicide*. New York: Wiley.
- Silver, M. A., Bohnert, M., Beck, A. T., & Marcus, D. (1971). Relation of depression of attempted suicide and seriousness of intent. *Archives of General Psychiatry*, 25, 573–576.
- Silverman, M. M. (2006). The language of suicidology. *Suicide and Life-Threatening Behavior*, 36, 519–532.
- Silverman, M. M., Berman, A. L., Sanddal, N. D., O'Carroll, P. W., & Joiner, T. E. (2007). Rebuilding the Tower of Babel: A revised nomenclature for the study of suicide and suicidal behaviors. Part I: Background, rationale, and methodology. *Suicide and Life-Threatening Behavior*, 37, 248–263.
- Simon, R. I. (2004). *Assessing and managing suicide risk: Guidelines for clinically based risk management*. Washington, DC: American Psychiatric Publishing.
- Simon, R. I. (2007). Gun safety management with patients at risk for suicide. *Suicide and Life-Threatening Behavior*, 37, 518–526.
- Simon, T., & Crosby, A. (2000). Suicide planning among high school students who report attempting suicide. *Suicide and Life-Threatening Behavior*, 30, 213–221.
- Simon, T. R., Swann, A. C., Powell, K. E., Potter, L. B., Kresnow, M. J., & O'Carroll, P. W. (2001). Characteristics of impulsive suicide attempts and attempters. *Suicide and Life-Threatening Behavior*, 32, 49–59.
- Skogman, K., Alsen, M., & Ojehagen, A. (2004). Sex differences in risk factors for suicide after attempted suicide—A follow-up study of 1052 suicide attempters. *Social Psychiatry and Psychiatric Epidemiology*, 39, 113–120.
- Skogman, K., & Öjehagen, A. (2003). Motives for suicide attempters—The views of the patients. *Archives of Suicide Research*, 7, 193–206.
- Slaby, A. E. (1998). Outpatient management of suicidal patients. In B. Bongar, A. L. Berman, R. W. Maris, M. M. Silverman, E. A. Harris, & W. L. Packman (Eds.), *Risk management with suicidal patients* (pp. 34–64). New York: Guilford Press.

- Slee, N., Arensman, E., Garnefski, N., & Spinhoven, P. (2007). Cognitive behavioral therapy for deliberate self-harm. *Crisis*, 28, 175–182.
- Slee, N., Garnefski, N., van der Leeden, R., Arensman, E., & Spinhoven, P. (2008). Cognitive-behavioural intervention for self-harm: Randomised controlled trial. *British Journal of Psychiatry*, 192, 202–211.
- Soloff, P. H., Lis, J. A., Kelly, T., Cornelius, J., & Ulrich, R. (1994). Risk factors for suicidal behavior in borderline personality disorder. *American Journal of Psychiatry*, 151, 1316–1323.
- Sorenson, S. B., & Rutter, C. M. (1991). Transgenerational patterns of suicide attempts. *Journal of Consulting and Clinical Psychology*, 59, 861–866.
- Sosdjan, D., King, R., Brown, G. K., & Beck, A. T. (2002). *Study case management manual for suicide attempters*. Unpublished manuscript, University of Pennsylvania.
- Spandler, H. (1996). *Who's hurting who? Young people, self-harm and suicide*. Manchester, England: 42nd Street.
- Spirito, A. (2003). Understanding attempted suicide in adolescence. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 1–18). New York: Academic Press.
- Spirito, A., Brown, L., Overholser, J., & Fritz, G. (1989). Attempted suicide in adolescence: A review and critique of the literature. *Clinical Psychology Review*, 9, 335–363.
- Spirito, A., Overholser, J. C., & Stark, L. J. (1989). Common pathways and coping strategies II: Findings with adolescent suicide attempters. *Journal of Abnormal Child Psychology*, 17, 213–221.
- Stanford, E. J., Goetz, R. R., & Bloom, J. D. (1994). The no harm contract in the emergency assessment of suicidal risk. *Journal of Clinical Psychiatry*, 55, 344–348.
- Stebblaj, A., Tavcar, R., & Dernovsek, M. Z. (1999). Predictors of suicide in psychiatric hospital. *Acta Psychiatrica Scandinavica*, 100, 383–388.
- Steele, C. M., & Josephs, R. A. (1990). Alcohol myopia: Its prized and dangerous effects. *American Psychologist*, 45, 921–933.
- Steer, R. A., Rissmiller, D. B., Ranieri, W. F., & Beck, A. T. (1993). Dimensions of suicidal ideation in psychiatric inpatients. *Behavior Research and Therapy*, 31, 229–236.
- Stein, D., Apter, A., Ratzoni, G., Har-Even, D., & Avidan, G. (1998). Association between multiple suicide attempts and negative affect in adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37, 488–494.
- Stein, D., Witzum, E., Brom, D., DeNour, A., & Elizur, A. (1992). The association between adolescents' attitudes toward suicide and their psychosocial background and suicidal tendencies. *Adolescence*, 27, 949–959.
- Stengel, E., & Cook, N. G. (1958). *Attempted suicide: Its social significance and effects*. London: Chapman & Hall/CRC.
- Steuer, J. L., Mintz, J., Hammen, C. L., Hill, M. A., Jarvik, L. F., McCarley, T., et al. (1984). Cognitive-behavioral and psychodynamic group psychotherapy in treat-

- ment of geriatric depression. *Journal of Consulting and Clinical Psychology*, 52, 180–189.
- Stroebe, M., Stroebe, W., & Abakoumkin, G. (2005). The broken heart: Suicidal ideation in bereavement. *American Journal of Psychiatry*, 162, 2178–2180.
- Strohmetz, D. B., Alterman, A. I., & Walter, D. (1990). Subject selection bias in alcoholics volunteering for a treatment study. *Alcoholism: Clinical and Experimental Research*, 14, 736–738.
- Strosahl, K., Chiles, J. A., & Linehan, M. (1992). Prediction of suicide intent in hospitalized parasuicides: Reasons for living, hopelessness, and depression. *Comprehensive Psychiatry*, 33, 366–373.
- Suokas, J., Suominen, K., Isometsä, E., Ostamo, A., & Lönnqvist, J. (2001). Long-term risk factors for suicide mortality after attempted suicide—Findings of a 14-year follow-up study. *Acta Psychiatrica Scandinavica*, 104, 117–121.
- Suominen, K., Henriksson, M., Suokas, J., Isometsä, E., Ostamo, A., & Lönnqvist, J. (1996). Mental disorders and comorbidity in attempted suicide. *Acta Psychiatrica Scandinavica*, 94, 234–240.
- Suominen, K., Isometsä, E., Heilä, H., Lönnqvist, J., & Henriksson, M. (2002). General hospital suicides: A psychological autopsy study in Finland. *General Hospital Psychiatry*, 24, 412–416.
- Suominen, K., Isometsä, E., Henriksson, M., Ostamo, A., & Lönnqvist, J. (1997). Hopelessness, impulsiveness and intent among suicide attempters with major depression, alcohol dependence, or both. *Acta Psychiatrica Scandinavica*, 96, 142–149.
- Swann, A. C., Dougherty, D. M., Pazzaglia, P. J., Pham, M., Steinberg, J., & Moeller, G. (2005). Increased impulsivity associated with severity of suicide attempt history in patients with bipolar disorder. *American Journal of Psychiatry*, 162, 1680–1688.
- Szanto, K., Gildengers, A., Mulsant, B. H., Brown, G. K., Alexopoulos, G. S., & Reynolds, C. F. (2002). Identification of suicide ideation and prevention of suicidal behavior in the elderly. *Drugs and Aging*, 19, 11–24.
- Szanto, K., Prigerson, H. G., Houck, P. R., & Reynolds, C. F. (1997). Suicidal ideation in elderly bereaved: The role of complicated grief. *Suicide and Life-Threatening Behavior*, 27, 194–207.
- Szanto, K., Reynolds, C. F., Conwell, Y., Begley, A. E., & Houck, P. (1998). High levels of hopelessness persist in geriatric patients with remitted depression and a history of attempted suicide. *Journal of the American Geriatrics Society*, 46, 1401–1406.
- Szanto, K., Reynolds, C. F., Frank, E., Stack, J., Fasiczka, A. L., Miller, M., et al. (1996). Suicide in elderly depressed patients: Is active vs. passive suicidal ideation a clinically valid distinction? *American Journal of Geriatric Psychiatry*, 4, 197–207.
- Szanto, K., Shear, M. K., Houck, P. R., Reynolds, C. F., Frank, E., Caroff, K., et al. (2006). Indirect self-destructive behavior and overt suicidality in patients with complicated grief. *Journal of Clinical Psychiatry*, 67, 233–239.

- Talbot, N. L., Duberstein, P. R., Cox, C., Denning, D., & Conwell, Y. (2004). Preliminary report on childhood sexual abuse, suicidal ideation, and suicide attempts among middle-aged and older depressed women. *American Journal of Geriatric Psychiatry*, 12, 536–538.
- Taylor, E. A., & Stansfeld, S. A. (1984). Children who poison themselves: Prediction of attendance for treatment. *British Journal of Psychiatry*, 145, 132–135.
- Teesson, M., Darke, S., Ross, J., Mills, K., Williamson, A., Havard, A., et al. (2005). *The Australian Treatment Outcome Study (ATOS): Heroin*. Retrieved May 2, 2007, from <http://notes.med.unsw.edu.au/ndarcweb.nsf/page/Completed%20Project%20T7%20ATOS>
- Tejedor, M. C., Diaz, A., Castillon, J. J., & Pericay, J. M. (1999). Attempted suicide: Repetition and survival findings of a follow-up study. *Acta Psychiatrica Scandinavica*, 100, 205–211.
- Termansen, P. E., & Bywater, C. (1975). S.A.F.E.R.: A follow-up service for attempted suicide in Vancouver. *Canadian Psychiatric Association Journal*, 20, 29–34.
- Thies-Flechtner, K., Müller-Oerlinghausen, B., Seibert, W., Walther, A., & Greil, W. (1996). Effect of prophylactic treatment on suicide risk in patients with major affective disorders: Data from a randomized prospective trial. *Pharmacopsychiatry*, 29, 103–107.
- Thompson, L. W., Coon, D. W., Gallagher-Thompson, D., Sommer, B. R., & Koin, D. (2001). Comparison of desipramine and cognitive-behavioral therapy in the treatment of elderly outpatients with mild-to-moderate depression. *American Journal of Geriatric Psychiatry*, 9, 225–240.
- Thompson, L. W., Gallagher, D., & Breckenridge, J. S. (1987). Comparative effectiveness of psychotherapies for depressed elders. *Journal of Consulting and Clinical Psychology*, 55, 385–390.
- Torhorst, A., Moller, J. J., Burk, F., Kurz, A., Wachter, C., & Lauter, H. (1987). The psychiatric management of parasuicide patients: A controlled clinical study comparing different strategies of outpatient treatment. *Crisis*, 8, 53–61.
- Trautman, P. D., Rotheram-Borus, M. J., Dopkins, S., & Lewin, N. (1991). Psychiatric diagnoses in minority female adolescent suicide attempters. *Journal of the American Academy of Child & Adolescent Psychiatry*, 30, 617–622.
- Trautman, P. D., Stewart, N., & Morishima, A. (1993). Are adolescent suicide attempters noncompliant with outpatient care? *Journal of the American Academy of Child & Adolescent Psychiatry*, 32, 89–94.
- Trout, D. L. (1980). The role of social isolation in suicide. *Suicide and Life-Threatening Behavior*, 10, 10–23.
- Trulsson, K., & Hedin, U.-C. (2004). The role of social support when giving up drug abuse: A female perspective. *International Journal of Social Welfare*, 13, 145–157.
- Turvey, C. L., Conwell, Y., Jones, M. P., Phillips, C., Simonsick, E., Pearson, J. L., et al. (2002). Risk factors for late-life suicide: A prospective, community-based study. *American Journal of Geriatric Psychiatry*, 10, 398–406.

- Tyrer, P., Thompson, S., Schmidt, U., Jones, V., Knapp, M., Davidson, K., et al. (2003). Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: The POPMACT study. *Psychological Medicine*, 33, 969–976.
- Uncapher, H., Gallagher-Thompson, D., Osgood, N. J., & Bonger, B. (1998). Hopelessness and suicide ideation in older adults. *Gerontologist*, 38, 62–70.
- Unützer, J., Tang, L. Q., Oishi, S., Katon, W., Williams, J. W., Hunkeler, E., et al. (2006). Reducing suicidal ideation in depressed older primary care patients. *Journal of the American Geriatrics Society*, 54, 1550–1556.
- U.S. Department of Health & Human Services. (2001). *National strategy for suicide prevention: Goals and objectives for action*. Rockville, MD: U.S. Department of Health & Human Services, Public Health Service.
- Vaiva, G., Ducrocq, F., Meyer, P., Mathieu, D., Philippe, A., Libersa, C., et al. (2006). Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: Randomised controlled study. *British Medical Journal*, 332, 1241–1245.
- Vanable, P. A., Carey, M. P., Carey, K. B., & Maisto, S. A. (2002). Predictors of participation and attrition in a health promotion study involving psychiatric outpatients. *Journal of Consulting and Clinical Psychology*, 70, 362–368.
- VandeCreek, L., & Knapp, S. (2001). *Tarasoff and beyond: Legal and clinical considerations in the treatment of life-endangering patients*. Sarasota, FL: Professional Resource Press/Professional Resource Exchange.
- van den Bosch, L. M. C., Verheul, R., Schippers, G. M., & van den Brink, W. (2002). Dialectical behavior therapy of borderline patients with and without substance use problems: Implementation and long-term effects. *Addictive Behaviors*, 27, 911–923.
- Van der Sande, R., van Rooijen, L., Buskens, E., Allart, E., Hawton, K., van der Graff, Y., et al. (1997). Intensive in-patient and community intervention versus routine care after attempted suicide: A randomized controlled intervention study. *British Journal of Psychiatry*, 171, 35–41.
- Van Heeringen, C., Jannes, S., Buylaert, W., Henderick, H., De Bacquer, D., & Van Remoortel, J. (1995). The management of noncompliance with referral to outpatient after-care among attempted suicide patients: A controlled intervention study. *Psychological Medicine*, 25, 963–970.
- Verkes, R. J., Van der Mast, R. C., Hengeveld, M. W., Tuyl, J. P., Zwinderman, A. H., & Van Kempen, G. M. J. (1998). Reduction by paroxetine of suicidal behavior in patients with repeated suicide attempts but not major depression. *American Journal of Psychiatry*, 155, 543–547.
- Verona, E., Patrick, C. J., & Joiner, T. E. (2001). Psychopathy, antisocial personality, and suicide risk. *Journal of Abnormal Psychology*, 110, 462–470.
- Verona, E., Sachs-Ericsson, N., & Joiner, J. E. (2004). Suicide attempts associated with externalizing psychopathology in an epidemiological sample. *American Journal of Psychiatry*, 161, 444–451.

- Vingoe, L., Welch, S., Farrell, M., & Strang, J. (1999). Heroin overdose among treatment sample of injecting drug misusers: Accident or suicidal behaviour? *Journal of Substance Abuse*, 4, 88–91.
- Waern, M., Beskow, J., Runeson, B., & Skoog, I. (1999). Suicidal feelings in the last year of life in elderly people who commit suicide. *Lancet*, 354, 917–918.
- Waern, M., Rubenowitz, E., Runeson, B., Skoog, I., Wilhelmson, K., & Allebeck, P. (2002). Burden of illness and suicide in elderly people: Case-control study. *British Medical Journal*, 324, 1355–1358.
- Waern, M., Rubenowitz, E., & Wilhelmson, K. (2003). Predictors of suicide in the old elderly. *Gerontology*, 49, 328–334.
- Wagner, B. M., Wong, S. A., & Jobes, D. A. (2002). Mental health professionals' determinations of adolescent suicide attempts. *Suicide and Life-Threatening Behavior*, 32, 284–300.
- Waterhouse, J., & Platt, S. (1990). General hospital admission in the management of parasuicide: A randomised controlled trial. *British Journal of Psychiatry*, 156, 236–242.
- Weissman, A., Beck, A. T., & Kovacs, M. (1979). Drug abuse, hopelessness, and suicidal behavior. *International Journal of the Addictions*, 14, 451–464.
- Wells, K. C., & Curry, J. F. (2000). *Parent and conjoint parent-adolescent sessions*. Unpublished manuscript, Duke University Medical Center. Retrieved January 31, 2007, from https://trialweb.dcri.duke.edu/tads/tad/manuals/TADS_CBT.pdf
- Welu, T. C. (1977). A follow-up program for suicide attempters: Evaluation of effectiveness. *Suicide and Life-Threatening Behavior*, 7, 17–30.
- Wenzel, A., Jeglic, E. L., Levy-Mack, H. J., Beck, A. T., & Brown, G. K. (in press). Treatment attitude and therapy outcome in patients with borderline personality disorder. *Journal of Cognitive Psychotherapy*.
- Wenzel, A., Sharp, I. R., Sokol, L., & Beck, A. T. (2006). Attentional fixation in panic disorder. *Cognitive Behaviour Therapy*, 35, 65–73.
- Wetzel, R. D. (1977). Factor structure of Beck's suicide intent scales. *Psychological Reports*, 40, 295–302.
- Wetzler, S., Asnis, G. M., Hyman, R., Virtue, C., Zimmerman, J., & Rathus, J. H. (1996). Characteristics of suicidality among adolescents. *Suicide and Life-Threatening Behavior*, 26, 37–45.
- Whitlock, J., Eckenrode, J., & Silverman, D. (2006). Self-injurious behaviors in a college population. *Pediatrics*, 117, 1939–1948.
- Wilkinson, G. (1994). Controversies in management: Better treatment of mental illness is a more appropriate aim. *British Medical Journal*, 309, 860–861.
- Williams, J. M. G. (1996). Depression and the specificity of autobiographical memory. In D. C. Rubin (Ed.), *Remembering our past: Studies in autobiographical memory* (pp. 244–267). New York: Cambridge University Press.
- Williams, J. M. G., Barnhoffer, T., Crane, C., & Duggan, D. S. (2006). The role of overgeneral memory in suicidality. In T. E. Ellis (Ed.), *Cognition and suicide: Theory, research, and therapy* (pp. 173–192). Washington, DC: American Psychiatric Association.

- Williams, J. M. G., & Broadbent, K. (1986a). Autobiographical memory in suicide attempters. *Journal of Abnormal Psychology*, 95, 144–149.
- Williams, J. M. G., & Broadbent, K. (1986b). Distraction by emotional stimuli: Use of a Stroop task with suicide attempters. *British Journal of Clinical Psychology*, 25, 101–110.
- Williams, J. M. G., & Dritschel, B. H. (1988). Emotional disturbance and the specificity of autobiographical memory. *Cognition & Emotion*, 2, 221–234.
- Wolfsdorf, B. A., Freeman, J., D'Eramo, K., Overholser, J., & Spirito, A. (2003). Mood states: Depression, anger, and anxiety. In A. Spirito & J. C. Overholser (Eds.), *Evaluating and treating adolescent suicide attempters: From research to practice* (pp. 53–88). New York: Academic Press.
- Wood, A., Trainor, G., Rothwell, J., Moore, A., & Harrington, R. (2001). Randomized trial of group therapy for repeated deliberate self-harm in adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 40, 1246–1253.
- Wright, J. E., Basco, M. R., & Thase, M. E. (2006). *Learning cognitive-behavior therapy: An illustrated guide*. Washington, DC: American Psychiatric Publishing.
- Xie, H., McHugo, G. J., Fox, M. B., & Drake, R. E. (2005). Substance abuse relapse in a ten-year prospective follow-up of clients with mental and substance use disorders. *Psychiatric Services*, 56, 1282–1287.
- Yen, S., Shea, M. T., Pagno, M., Sanislow, C. A., Grilo, C. M., McGlashan, T. H., et al. (2003). Axis I and axis II disorders as predictors of prospective suicide attempts: Findings from the collaborative longitudinal personality disorders study. *Journal of Abnormal Psychology*, 112, 375–381.
- Young, J. E., & Beck, A. T. (1980). *Manual for the Cognitive Therapy Rating Scale*. Philadelphia: University of Pennsylvania.
- Young, M., Fogg, L., Scheftner, W., Fawcett, J., Akiskal, H., & Maser, J. (1996). Stable trait components of hopelessness: Baseline and sensitivity to depression. *Journal of Abnormal Psychology*, 105, 105–165.
- Ystgaard, M., Hestetun, I., Loeb, M., & Mehlum, L. (2004). Is there a specific relationship between childhood sexual and physical abuse and repeated suicidal behavior? *Child Abuse & Neglect*, 28, 863–875.